FENIX
LIGHTING FOR EXTREMES

FENIXLIGHT LIMITED

Tel: +86-755-29631163/83/93 Fax: +86-755-29631181 E-mail: info@fenixlight.com Web: www.fenixlight.com
Address: 3F, Building A, 111 Shuiku Road, Bao'an District, Shenzhen 518102, China

61.599.991.025-A2-20251210

2026 PRODUCT CATALOG



CONTENT

INDEX

01 FLASHLIGHTS

E Series (EDC Flashlights) - - - - - - - - - - - - 06

LD Series (Professional Outdoor Flashlights) - - - - - - - - - - - - 13

PD Series (Portable High-performance Flashlights) - - - - - - - - - - - - 17

TK Series (Tough and Powerful Flashlights) - - - - - - - - - - - - 25

HT Series (Hunting Flashlights) - - - - - - - - - - - - 34

LR Series (Searching Flashlights) - - - - - - - - - - - - 36

S Series (Specialized Flashlights) - - - - - - - - - - - - 41

WF Series (Industrial Flashlights) - - - - - - - - - - - - 43

WT Series (Multifunctional Work Lights) - - - - - - - - - - - - 47

02 HEADLAMPS

HL Series (Lightweight Outdoor Headlamps) - - - - - 49

HM Series (All-metal High-performance Integrated Headlamps) - - - - - 53

HP Series (High-performance Separated Headlamps) - - - - - 62

WH Series (High-performance Industrial Headlamps) - - - - - 65

03 TACTICAL LIGHTS

GL Series (Professional Tactical Lights) - - - - - - - - - - - - 67

04 BICYCLE LIGHTS

BC Series (High-performance Integrated Bicycle Lights) - - - - - - - 72

05 CAMPING LANTERNS

CL Series (High-performance Camping Lanterns) - - - - - - - - - - - 77

CP Series (High-performance Multifunctional Camping Lanterns) - - - - 81

06 ACCESSORIES

Accessories - 82

Accessories Compatibility Guide - - - - - - - - - - - - - - - 91

Fenix Products Specification Chart - - - - - - - - - - - - - 97

07 BRAND HONOR

Prizes - 107

Brand Mission - 109

Customer Service - 112

*There may be some differences between the upcoming product and its finally listed version.

FLASHLIGHTS

E / LD / PD / TK / HT / LR / S / WF / WT

Fenix flashlights are specifically designed for all kinds of harsh environments. All flashlight products fully embody toughness, reliability, and user-friendliness. Fenix makes a flashlight that can fit any need, whether it is tactical law enforcement, industrial operations, searching and rescuing or outdoor hiking. Excellent ability to withstand harsh conditions, easy to use, and comfortable grip, all of which make Fenix flashlights stand out from our competitors.





E SERIES



E01 V2.0



E03R V2.0

NEW



E04R



E05R

HOT



E06R

NEW



E06R Pro

NEW



E06R UE

NEW



E08R UE



E09R



E12 V3.0



E18R V2.0



E20 V2.0



E28R V2.0

HOT



E35R

E01 V2.0

Mini Keychain Flashlight

100LM | 35M | 25H | IP68 | 1XAAA

- Ultra-compact size for everyday carry.
- One-handed operation with the rotating switch.
- All-metal CNC machining light body.
- Two colors for option.

Black Blue



Size: 2.62" x 0.59" x 0.55"/66.5 x 15 x 14 mm
Weight: 0.46 oz /13 g (excluding battery)
Product ID: E01.11117
E01.13117

E03R V2.0

All-metal Keychain Flashlight

500LM | 90M | 30H | IP66 | 400mAh

ISPO Award 2023

- Compact size for everyday carry.
- USB Type-C rechargeable.
- Red warning light.
- Breathing indicator with variable color.

Grey Blue



Size: 2.07" x 1.02" x 0.51"/52.5 x 26 x 13 mm
Weight: 1.06 oz /30 g (including battery)
Product ID: E03R.13112
E03R.12111

E04R

Multi-LED Clip-on EDC Flashlight

300LM | 46M | 40H | IP66 | 400mAh

NEW

- Red and white dual main light and red-and-blue side warning light.
- 360° rotatable clip supports multiple wearing and usage methods.
- USB Type-C charging.
- Simple and fast operation with the dual switch.
- Physical lockout and intelligent memory circuit enhance user experience.

Black White



Size: 2.28" x 1.24" x 1.14"/58 x 31.5 x 29 mm
Weight: 1.41 oz /40 g (including battery)

E05R

Rechargeable Mini Keychain Flashlight

400LM | 64M | 30H | IP68 | 320mAh

- Mini size for perfect everyday carry.
- Instant Burst.
- Hidden micro USB charging port.
- All-metal CNC precision processing.

Green Black Brown



Size: 2.68" x 0.60" x 0.59"/68 x 15.3 x 15 mm
Weight: 0.85 oz/24 g (including battery)
Product ID: E05R.11111
E05R.17111
E05R.14111

E06R

3-in-1 Keychain Flashlight

700LM | 110M | 55H | IP66 | 750mAh

HOT

- Max 700 lumens output and 110 meters beam distance.
- White light, UV light, red laser.
- USB Type-C rechargeable.
- RGB breathing light ring creates ambience lighting.
- Magnetic tail for hands-free use.

Gun grey Turquoise



Size: 2.72" x 1.14" x 0.63"/69 x 29 x 16 mm
Weight: 1.90 oz/54 g (including battery)
Product ID: E06R.12111
E06R.14111



E06R UE

Triple-light-source Dual-control Flashlight

1600LM 160M 111H IP66 1650mAh

- Max 1600 lumens output and 160 meters beam distance.
- White light (spotlight and floodlight), red light,and green laser.
- USB Type-C charging.
- 3D mood light ring provides multiple lighting effects for both emergencies and relaxation.

NEW



Black Green Orange

Size: 4.84" x 1.22" x 0.75"/123 x 31 x 19 mm
Weight: 3.67 oz/104.1 g (including battery)

E08R UE

Multi-LED Dual-control Flashlight

1600LM 160M 111H IP66 1650mAh

- Max 1600 lumens output and 160 meters beam distance.
- White light (spotlight and floodlight), red light, and red laser.
- Instant activation, turbo, and strobe with the tail switch.
- All-metal flashlight body.
- Included two-way body clip.
- Light ring features multiple lighting effects.
- Gravity-sensing function.

NEW



Black Green

Size: 5.08" x 1.23" x 0.75"/129 x 31.2 x 19 mm
Weight: 4.20 oz/119 g (including battery)

E09R

Rechargeable Mini High-output Flashlight

600LM 124M 70H IP68 800mAh

- Max 600 lumens output and 124 meters beam distance.
- Hidden USB Type-C charging port.
- All-metal CNC precision processing.
- Ultra-compact size for convenient carrying every day.



Size: 3.11" x 0.76" x 0.72"/79 x 19.3 x 18.4 mm
Weight: 1.59 oz/45 g (including battery)
Product ID: E09R.11111

E06R Pro

Triple-light-source Dual-control Flashlight

1600LM 160M 111H IP66 1650mAh

Black Olive drab Orange



◎Max 1600 lumens output and 160 meters beam distance. ◎White light (spotlight and floodlight), UV light, and red laser.
◎USB Type-C charging. ◎3D mood light ring provides five lighting effects for both emergencies and relaxation.

General Mode (Spotlight)					General Mode (Floodlight)					Scene Mode					Special Mode			
High	Med	Low	Eco	Moon-light	High	Med	Low	Eco	Moon-light	Red flash	Blue flash	Red & blue flash	RGB	Aurora	UV light	Red laser	Strobe	Turbo
1000 lm	350 lm	150 lm	30 lm	5 lm	750 lm	350 lm	150 lm	30 lm	5 lm	1 lm	1 lm	1 lm	0.5 lm	0.5 lm	365 nm	650 nm	1600 lm	1600 lm
2 h 15 min	2 h 30 min	4 h 30 min	24 h	104 h	2h 20 min	3 h 12 min	4 h 35 min	24 h 30 min	111 h	/	/	/	/	/	/	/	/	1 h 19 min

Size: 4.84" x 1.22" x 0.75"/123 x 31 x 19 mm Weight: 3.67 oz/104.1 g (including battery) Product ID: E06R.11112, E06R.14112, E06R.15112

E12 V3.0

Portable EDC Flashlight

200LM | 78M | 100H | IP68 | 1XAA

- Magnetic tail for hands-free use.
- No standby current, safe and cost-efficient.
- Tail switch for on/off function and output selection.
- Two-way body clip and tail standing capability for added convenience.



Size: 3.21" × 0.76" × 0.69"/81.5 × 19.3 × 17.4 mm
Weight: 1.90 oz/53.9 g (including battery)
Product ID: E12.11118

E18R V2.0

Ultra-compact High-performance EDC Flashlight

1200LM | 146M | 228H | IP68 | 1X800mAh

HOT

- Max 1200 lumens output.
- USB Type-C fast charging.
- Magnetic tail - eliminates hand fatigue.
- Electronic lockout + physical lockout.
- Two-position body clip for convenient carry.



Size: 2.64" x 0.87" x 0.87"/67 x 22 x 22 mm
Weight: 1.98 oz/56 g (including battery)
Product ID: E18R.11112

E20 V2.0

Compact EDC Flashlight

350LM | 126M | 200H | IP68 | 2XAA

- Max 350 lumens output and 126 meters beam distance.
- One-handed operation with the tail switch.
- Digitally regulated circuit for maintaining a stable output.
- Intelligent overheat protection and reverse polarity protection.



Size: 5.00" x 0.83" x 0.66"/127 x 21 x 16.8 mm
Weight: 1.48 oz/42 g (excluding battery)
Product ID: E20.11114

Utility Model Patent: ZL 201820183805.8

E28R V2.0

Rechargeable EDC Flashlight

1700LM | 273M | 260H | IP68 | 1X18650 3400mAh

- Max 1700 lumens output and 273 meters beam distance.
- Magnetic tail for hands-free use.
- Two-way body clip for versatile attachment.
- USB Type-C charging; 3 hours from depletion to fully charged.
- Unique warning light.



Size: 4.76" x 1.04" x 0.89"/121 x 26.5 x 22.5 mm
Weight: 4.52 oz/128 g (including battery)
Product ID: E28R.11113

E35R

High-performance EDC Flashlight

3100LM | 260M | 69H | IP68 | 1X21700 5000mAh

HOT

- Max 3100 lumens output.
- USB Type-C charging port.
- Magnetic base for hands-free use.
- Lockout function avoids accidental activation.



Size: 4.72" x 1.04" x 0.98"/120 x 26.5 x 24.8 mm
Weight: 5.22 oz/148 g (including battery)
Product ID: E35R.11111





LD SERIES



LD12R



LD22 V2.0



LD30R

NEW



LD35R

NEW



LD36R



LD45R

LD12R

Dual Light Sources Multipurpose Portable Flashlight

600LM | 186M | 110H | IP68 | 1X800mAh/1XAA

DESIGN AWARD 2024

- Max 600 lumens output and 186 meters beam distance.
- Rotate the light head to quickly choose between the main light and the side light.
- Magnetic body clip for hands-free use.
- Hidden Type-C charging port.



Utility Model Patent: ZL 202223499611.4

Size: 4.76" x 0.87" x 0.75"/121 x 22 x 19 mm
Weight: 2.61 oz/74 g (including battery)
Product ID: LD12R.11111

LD22 V2.0

Multi-purpose Outdoor Flashlight

800LM | 214M | 319H | IP68 | 1600mAh / 2XAA

- Max 800 lumens output and 214 meters beam distance.
- Powered by a 1600mAh rechargeable Li-ion battery pack, compatible with 2 x AA batteries.
- Dual body clip for easy carry.
- Instant on with the tactical tail switch and output selection with the side switch.



Size: 5.83" x 0.85" x 0.71" / 148 x 21.5 x 18 mm
Weight: 3.49 oz / 99 g (including battery)
Product ID: LD22.11113

LD30R

High-performance Outdoor Flashlight

1700LM | 267M | 750H | IP68 | 1X18650 3400mAh

- Max 1700 lumens output and 267 meters beam distance.
- Tactical tail switch for instant activation.
- Side switch for mode selection.
- Strobe mode and SOS mode for outdoor activities.
- Two-way body clip for versatile attachment.



Size: 5.11" x 1.04" x 0.89"/129.7 x 26.5 x 22.6 mm
Weight: 4.66 oz/132 g (including battery)
Product ID: LD30R.11111

LD36R

High-performance Multicolor Flashlight

3600LM | 385M | 65H | IP68 | 1X21700 6000mAh

NEW

- Max 3600 lumens output and 385 meters beam distance.
- Colorful light mode provides multiple atmospheric lighting effects.
- Stepless colorful light mode enables free color selection.
- Included diffuser tip converts the flashlight into a reading or atmosphere light.
- Inner waterproof USB Type-C charging port.
- Light tail features a threaded tripod socket for convenient mounting.



Black Flame camo

Size: 5.50" x 1.57" x 1.04"/139.6 × 40 × 26.5 mm
Weight: 8.15 oz/231 g (including battery)
Product ID: LD36R.11111
LD36R.22111

LD45R

Digital Focusing Flashlight

2800LM | 480M | 65H | IP68 | 1X21700 5000mAh

- Digital focusing technology enables precise adjustments between spotlight and floodlight with a single hand.
- OLED smart display informs users of the flashlight's current status.
- Inner waterproof USB Type-C charging port.
- SOS mode and strobe mode enhance safety during outdoor activities.



Size: 6.11" x 1.75" x 1.26"/155.3 x 44.5 x 32 mm
Weight: 10.62 oz/302 g(including battery)
Product ID: LD45R.11111



LD35R

Triple-light-source Multipurpose Flashlight

1800LM | 337M | 101H | IP68 | 1X18650 3400mAh



◎Max 1800 lumens output and 337 meters beam distance.
◎White, red, and blue lights assist lighting needs for various occasions.
◎Main and side lights; side lights provide single-sided lighting and dual-sided 360° lighting.
◎Magnetic tail for hands-free use.
◎Stainless steel strike bezel inlaid with ceramic breaking tips.
◎Inner waterproof USB Type-C charging port.

Main light						Side lights								
General Mode					Strobe Mode	White Light Mode				Red/Blue Light Mode				
Turbo	High	Med	Low	Eco		Dual-sided (High)	Dual-sided (Low)	Single-sided (High)	Single-sided (Low)	Red SOS	Red & Blue Flash	Blue Flash	Red Flash	Red Constant-on
1800 lm	800 lm	350 lm	100 lm	20 lm	1800 lm	150 lm	80 lm	30 lm	5 lm	15 lm	15 lm	15 lm	15 lm	5 lm
2 h 19 min	3 h	5 h 34 min	22 h 39 min	101 h 54 min	/	6 h 2 min	6 h 13 min	15 h 44 min	86 h 35 min	51 h 7 min	31 h 28 min	30 h 26 min	55 h 13 min	60 h 37 min

Size: 5.37" x 1.34" x 1.00"/136.4 x 34 x 25.4 mm Weight 6.53 oz/185 g(including battery) Product ID: LD35R.11111

PD SERIES



Star Tactical Flashlights

The Fenix PD Series has become a classic since its release. It is deeply loved by users as being compact, portable, and multipurpose.

HOT

PD25R

NEW

PD26R ACE


PD32R

HOT

PD35 V3.0


PD35R

NEW

PD35R ACE

HOT

PD36R V2.0

HOT

PD36R Pro

NEW

PD36R ACE


PD36 TAC

HOT

PD40R V3.0


PD45R ACE

NEW

PD55R

PD25R

Portable Rechargeable Flashlight

Black | Sierra green

800LM | 250M | 80H | IP68 | 1X16340 800mAh /1XCR123A



Max 800 lumens output and 250 meters beam distance.

Hidden USB Type-C charging port.

Included two-position body clip.

Simple and convenient operation with the tail switch and the side switch.

Size: 3.62" x 0.94" x 0.94"/92 x 24 x 24 mm
Weight: 2.75 oz/78 g (including battery)
Product ID: PD25R.11111, PD25R.14111

General Mode					Strobe
Turbo	High	Med	Low	Eco	
800 lumens	350 lumens	150 lumens	30 lumens	5 lumens	800 lumens
55 minutes	1 hour 40 minutes	3 hours 30 minutes	20 hours 40 minutes	80 hours	/

PD26R ACE

Multi-mode Portable Flashlight

1300LM | 354M | 556H | IP68 | 1X18650 1600mAh

NEW

- Innovative SET mode, three lighting options, and customizable Strobe mode.
- Max 1300 lumens output and 354 meters beam distance.
- Hidden USB Type-C charging port for convenient charging.
- Powered by a Fenix ARB-L18-1600 battery.
- Anti-roll and anti-slip body design.
- Included body clip for versatile attachment.



Size: 4.17" x 1.05" x 0.97"/106 × 26.6 × 24.6 mm
Weight: 3.61 oz/102.3 g (including battery)
Product ID: PD26R.11111

PD32R

High-performance Rechargeable Tactical Flashlight

1400LM | 344M | 70H | IP68 | 1X18650 3400mAh 2 X CR123A

- Max 1400 lumens output and 344 meters beam distance.
- Powered by an included 3400mAh battery and compatible with two CR123A batteries.
- Hidden USB Type-C charging port.
- Soundless tail switch for instant activation, lockout function and instant strobe.

Black Brunette



Size: 5.31" x 1.04" x 0.93"/135 x 26.5 x 23.6 mm
Weight: 4.80 oz/136 g (including battery)
Product ID: PD32R.11111
PD32R.17111



PD35 V3.0

High-performance Tactical Flashlight

1700LM | 357M | 300H | IP68 | 1X18650 3400mAh /2XCR123A

HOT

- Max 1700 lumens output and 357 meters beam distance.
- New long-distance LED.
- Pocket size for easy carry.
- Boot-up battery level indication and low-voltage warning.
- Instant activation with the tactical tail switch and output selection with the side switch.

Black Tropic green



Size: 5.28" x 1.00" x 0.90"/134 x 25.4 x 22.8 mm
Weight: 4.69 oz/133 g(including battery)
Product ID: PD35.11122
PD35.14122

PD35R

Compact Rechargeable Tactical Flashlight

1700LM | 353M | 100H | IP68 | 1X18650 3400mAh

- Max 1700 lumens output.
- Luminus SFT40 LED with max 353 meters beam distance.
- Inner waterproof USB Type-C charging port.
- Dual tail switch.
- Compact size ensures a comfortable grip.



Size: 5.35" x 1.00" x 0.91" / 136 x 25.4 x 23.2 mm
Weight: 4.94 oz / 140 g (including battery)
Product ID: PD35R.11111

PD35R ACE

Multi-mode Tactical Flashlight

2000LM | 380M | 720H | IP68 | 1X18650 4000mAh

NEW

- Innovative SET mode, three lighting options, and customizable Strobe mode.
- Max 2000 lumens output and 380 meters beam distance.
- Hidden USB Type-C charging port for convenient charging.
- Powered by a Fenix ARB-L18-4000 battery, compatible with two CR123A batteries.
- Anti-roll and anti-slip body design.
- Included body clip for versatile attachment.



Size: 5.53" x 1.04" x 0.93"/140.5 × 26.5 × 23.6 mm
Weight: 5.11 oz/145 g (including battery)
Product ID: PD35R.11112

PD36R V2.0

Compact Rechargeable Tactical Flashlight

1700LM | 396M | 482H | IP68 | 1X21700 5000mAh

HOT

- Max 1700 lumens output and 396 meters beam distance.
- USB Type-C charging port supports 18W fast charging.
- Tactical tail switch for instant activation; side switch for brightness level selection.
- Included two-way body clip for versatile attachment.
- Powered by an included 5000mAh high-capacity battery, ensuring long-lasting runtime.



Size: 5.54" x 1.04" x 1.00"/140.7 x 26.5 x 25.5 mm
Weight: 5.89 oz/167 g (including battery)
Product ID: PD36R.11115

PD36R ACE

Multi-mode Tactical Flashlight

3000LM | 415M | 63.4H | IP68 | 1X21700 5000mAh

NEW

- Innovative SET mode, three lighting options, and customizable Strobe mode.
- Max 3000 lumens output and 415 meters beam distance.
- Hidden USB Type-C charging port for convenient charging.
- Powered by a Fenix ARB-L21-5000 V2.0 battery.
- Anti-roll and anti-slip body design.
- Included body clip for versatile attachment.



Size: 5.75" x 1.18" x 1.02"/146 × 30 × 26 mm
Weight: 6.41 oz/181.6 g (including battery)
Product ID: PD36R.11117

PD36 TAC

Mechanical Tactical Flashlight

3000LM | 274M | 43.2H | IP68 | 1X21700 5000mAh

- Max 3000 lumens output and 274 meters beam distance.
- Powered by a Fenix ARB-L21-5000U rechargeable battery.
- Tactical mode, Lockout/off mode, and Duty mode for different environments.
- Mechanical toggle switch remains unaffected by magnetic interference, enabling effortless mode switching.
- Dual-function tactical switch to accurately activate the tactical function.
- Lockout function avoids accidental activation.

Utility Model Patent: ZL 201920500579.6



Size: 5.51" x 1.04" x 1.00" / 140 x 26.5 x 25.4 mm
Weight: 3.24 oz / 92 g (excluding battery)
Product ID: PD36.11111

PD36R Pro

Heavy-duty Rechargeable Tactical Flashlight

2800LM | 380M | 42H | IP68 | 1X21700 5000mAh



Max 2800 lumens output and 380 meters beam distance.

Instant strobe and activation with the dual tail switch.

Advanced Pulse-Frequency Transmission System (APF).

Size: 5.74" x 1.04" x 1.01 "/145.8 x 26.5 x 25.7mm
Weight: 5.96 oz/169 g (including battery)
Product ID: PD36R.11113, PD36R.22113

Turbo	High	Med	Low	Eco	Strobe
2800 lumens	1000 lumens	350 lumens	150 lumens	30 lumens	2500 lumens
3 hours 30 minutes	3 hours 55 minutes	8 hours 15 minutes	19 hours	42 hours	/

PD40R V3.0

Super Bright Mechanical Rotary Switching Flashlight

3000LM | 500M | 89H | IP68 | 1X21700 5000mAh

- Max 3000 lumens output and 500 meters beam distance.
- Powered by a single Fenix ARB-L21-5000 V2.0 battery.
- Patented technique of rotary mode selection switching for accurate operation.
- Standard USB Type-C charging port.
- Capable of tail standing.

HOT



Size: 5.63" x 1.34" x 1.02 " / 143 x 34 x 26 mm
Weight: 6.98 oz / 198 g (including battery)
Product ID: PD40R.11113

Utility Model Patent: ZL 201821227065.X

PD55R

Outdoor High-performance Spot-and floodlight Flashlight

7500LM | 30M | 60H | IP68 | 2x21700 6000mAh

- White light, red light, and UV light.
- Powered by two replaceable ARB-L21-6000 batteries.
- USB Type-C charging.
- Simple and fast operation with the ergonomic toggle switch.
- Press to release the battery cover for easy replacement.
- Unique rectangular design, differs from traditional cylindrical design flashlights.

NEW

Size: 5.87" x 2.32" x 1.18"/149 × 59 × 30 mm
Weight: 11.57 oz/328 g (excluding batteries)

PD45R ACE

Multi-mode Tactical Flashlight

3200LM | 410M | 57H | IP68 | 1X21700 6000mAh



Max 3200 lumens output and 410 meters beam distance.

Tactical tail switch and mode selector ring allow for fast switching among General mode. Lockout mode, and SET mode.

Hidden USB Type-C charging port with inner waterproof treatment supports 18 W fast charging.

Innovative SET mode allows for customization of six output combinations.

Turbo	Ultrahigh	High	Med	Low	Eco	Strobe
3200 lumens	1400 lumens	600 lumens	300 lumens	100 lumens	30 lumens	3200 lumens
2 hours 20 minutes	3 hours 20 minutes	5 hours 30 minutes	9 hours 30 minutes	30 hours	57 hours	/

Size: 6.21" x 1.18" x 1.02"/157.7 × 30 × 25.9 mm Weight: 7.07 oz/200.5 g (including battery)
Product ID: PD45R.11111



TK SERIES



TK05R



TK11R

NEW



TK15R

HOT



TK16 V2.0

NEW



TK17

HOT



TK20R V2.0

NEW



TK21R



TK22R

NEW



TK22R ACE

NEW



TK25R



TK26R

NEW



TK28R



TK30R

NEW



TK35R



TK35UE V2.0

TK05R

Portable Tactical EDC Flashlight

1000LM | 450M | 14.5H | IP68 | 1X18350 1100mAh

- Inner waterproof USB Type-C charging port.
- Instant strobe.
- Max 1000 lumens output and 450 meters beam distance.
- Powered by one Fenix ARB-L18-1100 rechargeable battery.



Size: 4.53" × 1.26" × 0.93" / 115 × 32 × 23.5 mm
Weight: 4.37 oz / 124 g(including battery)
Product ID: TK05R.11111

TK11R

Compact Military And Duty Flashlight

1600LM | 420M | 25.5H | IP68 | 1X18650 3400mAh /2XCR123A

- Max 1600 lumens output and 420 meters beam distance.
- Uses one Luminus SFT40 LED with a lifespan of 50,000 hours.
- Powered by a single 18650 rechargeable battery.
- Inner waterproof USB Type-C charging port.
- One-handed operation with the dual tail switch.
- Instant strobe.



Size: 5.73" x 1.34" x 0.93" / 145.5 x 34 x 23.5 mm
Weight: 4.14 oz / 117.5 g (excluding battery)
Product ID: TK11R.11111



TK15R

Intelligent Light-sensing Tactical Flashlight

3100LM | 450M | 31H | IP68 | 1X21700 5000mAh

NEW

- Max 3100 lumens output and 450 meters beam distance.
- Intelligent light-sensing mode automatically makes adjustments based on the surrounding lighting conditions.
- Instant activation and ON/OFF with the dual-function tactical switch.
- Toggle switch and functional switch allow for seamless switching among Intelligent light-sensing mode, Lockout mode, and Duty mode.
- USB Type-C charging and battery level indication.



Size: 6.02" x 1.36" x 1.42"/152.89 x 34.50 x 36 mm
Weight: 7.34 oz/208 g (including battery)

TK16 V2.0

Dual Tail Switch Tactical Flashlight

3100LM | 380M | 43.3H | IP68 | 1X21700 5000mAh

HOT

- Max 3100 lumens output.
- Advanced Pulse-Frequency Transmission System (APF).
- Instant activation and strobe with the dual tail switch.
- Compact structure with a single-layer body.
- Stainless steel strike bezel inlaid tungsten steel breaking tips.



Invention Patent: 201910294670.1
Utility Model Patent: ZL 201920500579.6

Size: 5.63" x 1.34" x 1.00" / 143 x 34 x 25.4 mm
Weight: 3.95 oz / 112 g (excluding battery)
Product ID: TK16.11112
TK16.14113

TK17

Dual Tail Switch Tactical Flashlight

3600LM | 330M | 60H | IP68 | 1X21700 6000mAh

NEW

- Max 3600 lumens output and 330 meters beam distance.
- Powered by a single ARB-L21-6000B high-capacity battery.
- Instant burst and strobe with the dual tail switch.
- Stainless steel strike bezel inlaid with three tungsten steel breaking tips.



Size: 5.85"x1.42"x1.00"/148.5× 36× 25.4mm
Weight: 6.96oz/197.2 g(excluding battery)
Product ID: TK17.11111

TK20R V2.0

Rechargeable Dual Rear-switch Multipurpose Flashlight

3000LM | 475M | 48H | IP68 | 1X21700 5000mAh

STAR TACTICAL FLASHLIGHT



Instant strobe.
Inner waterproof port.
Dual tactical tail switch.
Hidden USB Type-C charging port.

Utility Model Patent:ZL 201920500579.6
Size: 6.02" x 1.34" x 1.00"/152 x 34 x 25.4 mm
Weight: 7.20 oz/204 g (including battery)
Product ID: TK20R.11113

Turbo	High	Med	Low	Eco	Strobe
3000 lumens	1000 lumens	350 lumens	150 lumens	30 lumens	3000 lumens
2 hours 50 minutes	3 hours 10 minutes	7 hours	21 hours 20 minutes	48 hours	/

TK21R

Law Enforcement And Duty Flashlight

3600LM | 480M | 72.5H | IP68 | 1X21700 6000mAh

- Max 3600 lumens output and 480 meters beam distance.
- USB Type-C charging port supports fast charging protocol.
- Instant burst and strobe with the dual tail switch.
- Stainless steel strike bezel inlaid tungsten steel breaking tips.

NEW



Size: 6.04" x 1.42" x 1.00"/153.5 × 36 × 25.4mm
Weight: 7.81oz/221.4g (including battery)
Product ID: TK21R.11111

TK22R

Tactical And Duty Flashlight

3200LM | 480M | 50H | IP68 | 1X21700 5000mAh

- Max 3200 lumens output and 480 meters beam distance.
- Patented FlexiSensa Control switch for fast and convenient operation.
- Tactical and Duty modes for additional flexibility.
- Dual-function tactical switch for instant tactical activation and output selection.
- Hidden USB Type-C charging port.
- Stainless steel strike bezel inlaid tungsten steel breaking tips.

Utility Model Patent: ZL 202321315946.8



Size: 6.22" x 1.57" x 1.00" / 158 x 40 x 25.4 mm
Weight: 7.69 oz / 218 g (including battery)
Product ID: TK22R.11111

TK22R ACE

3-in-1 High-performance Flashlight

4800LM | 350M | 70H | IP68 | 1X21700 6000mAh

- Utilizes four Luminus SST25 LEDs.
- Max 4800 lumens output and 350 meters beam distance.
- Powered by a single ARB-L21-6000 mAh battery.
- Hidden USB Type-C port supports 18W fast charging.
- Output selection, instant strobe, lockout function, and SET mode customization with the dual tail switch and the toggle switch.
- IP68-rated protection.

NEW



Size: 6.10" x 1.57" x 1.00"/155 x 40 x 25.4 mm
Weight: 7.76 oz/220 g (including battery)

TK28R

Multi-beam High-performance Flashlight

6500LM | 450M | 102H | IP68 | 2x18650 4000mAh



- Lockable break-action battery compartment allows for fast battery replacement.
- Instant turbo, strobe, red flash with the dual tail switch.
- Mode switching with the tail toggle switch.
- Battery level indication.
- USB Type-C charging.
- Slide port cover protects the USB Type-C port against dust and water ingress.

Turbo	High	Med	Low	Eco	Strobe	Red light (High)	Red light (Med)	Red light (Low)	Red flash
6500 lm	2000 lm	800 lm	150 lm	30 lm	3000 lm	260 lm	100 lm	10 lm	10 lm
3 h 20 min	4 h	4 h 40 min	31 h 30 min	102 h	/	7 h 45 min	21 h 30 min	111 h	/

Size: 5.82" x 2.01" x 1.26"/147.83 × 51 × 32 mm Weight: 12.64 oz/358.3 g (including batteries) Product ID: TK28R.11111

TK25R

Multifunction Law Enforcement And Duty Flashlight

3600LM | 350M | 55H | IP68 | 1X21700 5000mAh/6000mAh

NEW

- Utilizes one Cree XHP50.3- LED.
- Max 3600 lumens output and 350 meters beam distance.
- Equipped with a multi-LED system featuring high-power tactical light, wide side light, UV light, red light, red flashing light, and red-and-blue flashing light.
- Simple operation with the dual tail switch and the toggle switch.
- Instant turbo, strobe, and activation.
- USB Type-C fast charging; 1.5 hours from depletion to fully charged.
- Compatible with the ALC-03 quick-pull holster.



Size: 6.46" × 1.42" × 1.03"/164 × 36 × 26.2 mm
Weight: 7.94 oz/225 g(including battery)
Product ID: TK25R.11111

TK26R

High-performance Rechargeable Work Flashlight

1500LM | 350M | 100H | IP68 | 1X18650 3400mAh /2XCR123A

- Max 1500 lumens output and 350 meters beam distance.
- Red, white, and green light sources.
- Instant strobe with the dual tail switch.
- Inner waterproof USB Type-C charging port.



Size: 5.91" x 1.57" x 1.00" / 150 x 40 x 25.4 mm
Weight: 5.54 oz /157 g (excluding battery)
Product ID: TK26R.11112



TK35R

High-performance Multi-mode Tactical Flashlight

5800LM | 610M | 105H | IP68 | 2X18650 4000mAh



Max 5800 lumens output and 610 meters beam distance.
365nm UV LED for improved tactical applications.
Instant turbo and strobe with the dual tail switch.
Included two 18650 batteries provide long-lasting runtime.
USB Type-C charging port supports fast charging.

Size: 6.06" x 1.69"/154 x 43 mm Weight: 12.06 oz/342 g (including batteries)
Product ID: TK35R.11111

Turbo	High	Med	Low	Eco	Strobe	UV High	UV Low
5800 lm	2000 lm	800 lm	350 lm	30 lm	3000 lm	3 W	1.5 W
3 h	3 h 15 min	4 h	9 h 20 min	105 h	/	7 h 30 min	14 h 30 min

TK30R

White Laser Tactical Flashlight

500LM | 1500M | 8H50Min | IP68 | 1X21700 6000mAh

- Max 500 lumens output and 1500 meters beam distance.
- White laser light source.
- Tactical tail switch for instant activation and instant strobe.
- Hidden USB Type-C charging port.
- Toggle switch for output selection and lockout function.



Size: 7.24" × 1.00" × 1.57"/184 × 25.4 × 40 mm
Weight: 8.82 oz/250 g (including battery)
Product ID: TK30R.11111

TK35UE V2.0

High-performance Dual Mode Tactical Flashlight

5000LM | 400M | 85H | IP68 | 2X18650 /4XCR123A

- Patented toggle switch for the selection of tactical and duty modes.
- Max 5000 lumens output.
- Dual tactical tail switch.
- Instant strobe.
- The light can be powered by two 18650 or two CR123A batteries in emergency situations.



Size: 5.63" x 1.69"/ 143 x 43 mm
Weight: 7.13 oz / 202 g (excluding batteries)
Product ID: TK35.11122

Utility Model Patent: ZL 201721574627.3



HT SERIES



HT18R V2.0

Multi-mode Outdoor Long-range Flashlight

3700LM | 1100M | 87H | IP68 | 1X21700 6000mAh

NEW

- Max 3700 lumens output and 1100 meters beam distance.
- Utilizes one Luminus SFT90 LED with a lifespan of 50,000 hours.
- Powered by a Fenix ARB-L21-6000 battery.
- Slide anti-dust cover.
- Inner waterproof USB Type-C charging port.
- Instant turbo and strobe with the dual side switch.
- Professional SOS and Beacon modes for outdoor emergencies.
- Boot-up battery level indication and low-voltage warning.



Size: 7.86" × 2.68" × 1.00"/199.7 x 68.04 x 25.42 mm
Weight: 12.64 oz/358.2 g (including battery)
Product ID: HT18R.11112

HT32

Outdoor Hunting Flashlight

2500LM | 640M | 29H | IP68 | 1X21700 5000mAh

- Max 2500 lumens output and 640 meters beam distance.
- Fitted with one Luminus SFT20 CG green light LED and one SFT20 RA red light LED.
- Patented TIR lens doubles the beam distance with its diameter reduced by 30%.
- One-handed operation with the dual tail switch.
- Instant strobe.

Utility Model Patent: ZL 202222108357.5



Size: 6.30" x 2.05" x 1.00" / 160 x 52 x 25.4 mm
Weight: 6.53 oz / 185 g (excluding battery)
Product ID: HT32.11111

HT32R

Multi-LED High-performance Hunting Flashlight


2500LM | 640M | 29H | IP68 | 1X21700 5000mAh

NEW

- Utilizes one Luminus SFT42R LED, three Luminus SST20 LEDs, and six OSRAM ostar LEDs.
- Powered by a Fenix ARB-L21-6000 high-capacity battery.
- Slide anti-dust cover.
- USB Type-C port supports fast charging.
- Instant spotlight, instant strobe, and other functions with the side tactical switch.
- Mode switching with the side toggle switch.
- Compatible with the AER-05 and the ALG-18.



Size: 6.30" x 2.05" x 1.00"/160 × 52 × 25.4 mm
Weight: 6.53 oz/185 g (excluding battery)



LR SERIES





LR35R



LR35R Pro



LR36R



LR40R V2.0



LR50R

HOT



LR60R

HOT



LR80R

LR35R

Powerful Mid-size Searching Flashlight

10000LM | 500M | 80H | IP68 | 2X21700 4000mAh

- Max 10000 lumens output and 500 meters beam distance.
- Mid-size body for one-handed grip.
- Lockout function avoids accidental activation.
- 90° beam angle with incredible broad beam improves searching efficiency.



Size: 5.51" x 2.03" x 1.83"/140 x 51.5 x 46.5 mm
Weight: 8.43 oz/239 g (excluding battery)
Product ID: LR35R.11111

LR35R Pro


Super Bright Palm-sized Searching Flashlight

10000LM | 500M | 135H | IP68 | 2X21700 6000mAh

- Max 10000 lumens output and 500 meters beam distance.
- Floodlight and spotlight for long-range illumination and close-up illumination.
- Stepless brightness regulation, mode switching, Strobe mode, and lockout function with the toggle switch and the electronic switch.
- USB Type-C charging port; 18W fast charging and discharging.
- Mid-size light body for easy carry.
- UV light and red light for different applications.



Size: 5.63" x 2.17" x 1.83"/143 × 55 × 46.5 mm
Weight: 16.12 oz/457 g (including batteries)
Product ID:LR35R.11112



LR36R

White Laser Powerful Mid-size Searching Flashlight

10000LM | 1260M | 102H | IP68 | 2X21700 5000mAh

- White laser and floodlight for long-range illumination and close-up illumination.
- OLED smart display shows the remaining runtime, brightness level, and battery level.
- Stepless brightness regulation for smooth and accurate control of brightness level.
- Toggle switch and electronic switch combo for convenient and efficient operation.
- Toggle switch lockout function avoids accidental activation.



Size: 6.33" x 2.21" x 2.17"/160.7 × 56.2 × 55.1 mm
Weight: 17.39 oz/493 g (including batteries)
Product ID: LR36R.11111

LR40R V2.0

Super Bright Spot-and-flood Searching Flashlight

15000LM | 900M | 177H | IP68 | 10.8V/5000mAh

- Max 15000 lumens output and 900 meters beam distance.
- Rotary toggle switch + electronic switch for single-handed operation.
- Spotlight, floodlight and combined modes for different lighting demands.
- USB Type-C port supports 18W fast charging and USB-A port supports discharging.



Size: 6.89" x 3.23" x 2.17" / 175 x 82 x 55 mm
Weight: 29.72 oz / 842.5 g (including battery)
Product ID: LR40R.11112



LR50R

Multifunctional Super Bright Searching Flashlight

12000LM | 950M | 58H | IP68 | 3.6V/16000mAh /1~4X21700

- Max 12000 lumens output and 950 lumens beam distance.
- Intelligent brightness downshifting sensor to avoid high temperature at close-range lighting.
- Instant Turbo activation rapidly responds to emergency situations.
- USB Type-C charging and discharging interface supports fast-charging protocols.



Size: 6.42" x 3.46" x 2.36" / 163 x 88 x 60 mm
Weight: 34.8 oz / 986 g (including battery)
Product ID: LR50R.11111

LR80R

Super Bright Handheld Searching Flashlight

18000LM | 1130M | 300H | IP68 | 7.2V/12000mAh

HOT

- High output, far-reaching beam shot, long-lasting runtime for wide-range searching lighting.
- Dual switch respectively controls dual mode.
- Intelligent brightness downshifting sensor to avoid high temperature at close-range lighting.
- Multiple wearing ways: hand-held, one-handed grip, back it on the shoulder.
- Can be used as a power bank for external digital devices.



Size: 10.20" x 4.25" x 2.13" / 259 x 108 x 54 mm
Weight: 57.71 oz / 1636 g (including battery)
Product ID: LR80R.11115, LR80R.11112, LR80R.11113, LR80R.11111, LR80R.11114



LR60R

Mechanical Rotary Searching Flashlight

21000LM | 1085M | 113H | IP68 | 14.4V/4000mAh

reddot award

GOLD AWARD
CANTON FAIR DESIGN AWARD

Mechanical rotary switch for rapid brightness and mode selection.

OLED screen displays brightness level, remaining runtime and remaining battery level.

Multiple wearing ways: hand-held, one-handed grip, back it on the shoulder.

Size: 8.19" x 3.59" x 2.46"/208 x 91 x 62.5 mm
Weight: 52.91 oz/1500 g (including battery)
Product ID: LR60R.11111

Search Mode(Long range searching)					Camp Mode(Large area lighting)				
Turbo	High	Med	Low	Eco	Med	High	Turbo	SOS	Strobe
Spot-and floodlight	Spotlight				Floodlight			Spotlight	Spot-and floodlight
21000 lumens	3000 lumens	1000 lumens	300 lumens	50 lumens	2000 lumens	6000 lumens	15000 lumens	300 lumens	9000 lumens
1 hour 50 minutes	3 hours 45 minutes	10 hours 40 minutes	24 hours 20 minutes	113 hours	5 hours 25 minutes	3 hours	2 hours 10 minutes	/	/



S SERIES

SW05R-UV

SW05R-RED

NEW

SW06R

SW05R-UV

Multipurpose Clip-on Light

150LM | 39M | 49H | IPX6 | 700mAh

reddot award

- Included body clip is designed to accommodate various widths for secure attachment.
- White and UV light sources.
- 200° adjustable head for use at different angles.
- Inner waterproof USB Type-C charging port.
- Magnetic tail for hands-free use.



Black | Military green

Size: 3.20" x 1.38" x 0.71"/81.2 × 35 × 18 mm
Weight: 1.94 oz/55 g (including battery)
Product ID: SW05R-UV.11111
SW05R-UV.14111

SW05R-RED

Multipurpose Clip-on Light

150LM | 39M | 49H | IPX6 | 700mAh

reddot award | ISPO Award 2024

- Included body clip is designed to accommdate various widths for secure attachment.
- White and red light sources.
- 200° adjustable head for use at different angles.
- Inner waterproof USB Type-C charging port.
- Magnetic tail for hands-free use.



Black | Military green

Size: 3.20" x 1.38" x 0.71"/81.2 × 35 × 18 mm
Weight: 1.94 oz/55 g (including battery)
Product ID: SW05R-RED.11111
SW05R-RED.14111

SW06R

Multipurpose Clip-on Light

500LM | 100M | 100H | IP66 | 1300mAh

NEW

- Max 500 lumens output and 100 meters beam distance.
- White light, UV light, red light, and blue light.
- 200° adjustable head for use at different angles.
- Included two-way body clip and magnetic tail for hands-free use.
- Inner waterproof USB Type-C charging port.



Size: 3.90" x 1.54" x 0.79"/99 × 39 × 20 mm
Weight: 3.17 oz/90 g (including battery)
Product ID: SW06R.11111





WF SERIES



WF05E



WF11E



WF25RM



WF26R

NEW



WF30RE

WF25RM

Multifunctional Cradle Charging Duty Flashlight

3000LM | 370M | 77H | IP68 | 1X 21700 5000mAh

- Max 3000 lumens output and 370 lumens beam distance.
- 365nm UV light for non-destructive testing, leak testing, and other specialized operations.
- Proximity downshift safety function to avoid danger caused by high temperatures.
- Rechargeable with the included magnetic charging cradle, which is also compatible with the WF26R flashlight.
- Tail hook allows for easy and hands-free carrying.

reddot award



Size: 7.17" x 1.57" x 1.57"/182 × 40 × 40 mm
Weight: 8.80 oz/249.5 g (including battery)
Product ID: WF25RM.11111

WF26R

High-performance Cradle Charging Duty Flashlight

3000LM | 450M | 44.1H | IP68 | 1X 21700 5000mAh

- Max 3000 lumens output and 450 meters beam distance.
- The magnetic charging cradle can be separated from the magnetic charging cable.
- Instant activation and instant strobe with dual tail switch.
- Boot-up battery level indication and low-voltage warning.

Utility Model Patent:ZL 2220620151.7



Size: 6.14" x 1.59" x 1.05" / 156 x 40.4 x 26.6 mm
Weight: 7.83 oz / 222 g (including battery)
Product ID: WF26R.11111





PROFESSIONAL EXPLOSION-PROOF FLASHLIGHTS

The Fenix explosion-proof flashlights are designed and manufactured in accordance with the international explosion-proof standard of the IECEx system, which has passed the necessary tests and was certified by IECEx, ATEX and CSA. Thus these products can be safely used in explosive gas and dust atmospheres, users feel relieved when working in flammable and explosive places.

WF05E

85LM | 54M | 80H | IP66/IP68 | 2XAAA

Intrinsically Safe Flashlight
(Can be safely used in Zone 1 and Zone 2, and it can be used in combustible dust areas: Zone 21 and Zone 22 as well)



- Intrinsically explosion-proof.
- It has passed the necessary tests and was certified by IECEx, ATEX and SGS.
- Three output levels.
- The body clip is made of explosion-proof anti-static plastic.

Size: 5.29" x 0.75" x 0.59" / 134.5 x 19 x 14.9 mm
Weight: 1.34 oz / 38 g (excluding batteries)
Product ID: WF05E.11112

WF11E

200LM | 185M | 70H | IP66/IP67 | 3XAA

Magnetic Explosion-proof Flashlight
(Can be safely used in Zone 0, Zone 1 and Zone 2, and it can be used in combustible dust areas: Zone 20, Zone 21 and Zone 22 as well)



- Intrinsically explosion-proof.
- Made of explosion-proof and anti-static plastics.
- Magnetic light tail and body clip.
- It has passed the necessary tests and was certified by IECEx, ATEX and SGS.

Size: 6.59" x 1.93" x 0.94" / 167.5 x 49 x 24 mm
Weight: 5.64 oz / 160 g (excluding batteries)
Product ID: WF11E.15117, WF11E.15116

WF30RE

Intrinsically Safe Flashlight

300LM | 149M | 313.37H | IP68 | 1XARB-L21-3000Ex



- Intrinsically explosion-proof.
- Utilizes one CREE XP-G3 LED with a lifespan of 50,000 hours.
- Max 300 lumens output.
- Powered by a single Fenix ARB-L21-3000Ex rechargeable battery.
- USB Type-C charging port.
- It has passed the necessary tests and was certified by IECEx, ATEX, and Chinese Explosion-proof Certification.
- Boot-up battery level indication and low-voltage warning.

High	Med	Low	Eco	SOS
300 lumens	100 lumens	30 lumens	5 lumens	30 lumens
7 hours 18 minutes	22 hours 53 minutes	68 hours	313 hours 22 minutes	/

Size: 5.97" x 1.34" x 1.10"/151.7 × 34 × 28 mm Weight: 7.69 oz/218 g (including battery)
Product ID: WF30RE.11125, WF30RE.11126, WF30RE.11127, WF30RE.11128, WF30RE.11129



WT SERIES

WT16R

Multipurpose And Rechargeable Work Light

300LM | 115M | 30H | IP66 | 1X2000mAh

- Combines spotlight, floodlight and yellow flash in one.
- Super magnets are placed in the back and tail of the light for metal connection.
- Widened stainless steel body clip for firm connection to pack and pocket.
- Battery level indication for instant checking of remaining battery level.



Size: 5.00" x 1.46" x 1.02"/127 x 37 x 26 mm
Weight: 4.55 oz/129 g (including battery)
Product ID: WT16R.11111

WT25R

Rechargeable Pivoting Work Light

1000LM | 220M | 29H | IP66 | 1X18650 3400mAh

- Max 1000 lumens output and 220 meters beam distance.
- 105° adjustable head for use at different angles.
- Magnetic tail for hands-free use.
- Magnetic charging with the included magnetic charging cable.



Size: 5.33" x 1.16" x 0.95" / 135.3 x 29.4 x 24.1 mm
Weight: 4.83 oz / 137 g (including battery)
Product ID: WT25R.11111

HEADLAMPS

HL / HM / HP / WH

Fenix headlamps have an unequaled fit and finish. Our headlamps provide essential lighting for hikers, runners, campers and hunters, and are reliable light sources for many industrial workers. Fenix applies its years of LED experience to the crafting of ultra-bright headlamps that are comfortable to wear and easy to use in a variety of conditions. Whether your adventures or works need ultra-light all-day comfort or high-performance lighting for an extended expedition, the Fenix Headlamp series has a lamp for the occasion. Grab a Fenix headlamp for hands-free illumination.

HL SERIES





HL12R V2.0



HL16

NEW



HL17R



HL18R-T V2.0

NEW



HL22R



HL32R-T



HL45R

HL12R V2.0

Outdoor Ultralight Rechargeable Headlamp

500LM 125M 112H IP66 950mAh

- White and red light sources.
- Dual top switch for fast and easy operation.
- USB Type-C charging port ; battery level indication ; low-voltage warning.
- Electronic lockout function avoids accidental activation.
- High-quality aluminum alloy front case offers great durability and thermal performance.

Gun grey Purple





Size: 2.20" × 1.57" × 1.26"/56 × 40 × 31.9 mm
Weight: 2.56 oz/72.5 g (including battery and headband)
Product ID:HL12R.12112, HL12R.18112

HL16

Lightweight Outdoor Hiking Headlamp

450LM 104M 100H IP66 3XAAA

- White and red light sources for a variety of lighting demands.
- Dual switch for easy and fast operation.
- Replaceable battery design.
- 60° adjustable angle.

Black Chartreuse Pink





Size: 2.52" × 1.89" × 1.06" / 64 × 48 × 27 mm
Weight: 3.43 oz / 97.2 g (including battery)
Product ID: HL16.14111, HL16.11111, HL16.24111

HL17R

Multipurpose Quick-release Magnetic Headlamp

500LM 100M 96H IP66 1000mAh

- Can be worn on the head, held in hand or attached to the chest, or secured to metal surfaces as a work light.
- Five atmospheric lighting effects and four brightness levels of white light.
- Gesture-sensing function - the headlamp can be turned on or off with a wave of the hand.
- Fast and single-handed operation with two electronic switches and a rotatable light ring.
- Directional and rotatable quick-release mount.

Black White

NEW





Size: 2.75" x 1.59" x 1.46"/69.9 × 40.4 × 37 mm(including mount)
2.67" x 1.42" x 1.17"/67.7 × 36 × 29.6 mm(excluding mount)
Weight: 2.29 oz/65 g (including battery)
Product ID: HL17R.11111, HL17R.20111

HL18R-T V2.0

Ultralight Trail Running Headlamp

800LM | 125M | 160H | IP66 | 1X1900mAh /3XAAA

- Max 800 lumens output and 125 meters beam distance.
- Cold white light, warm white light and red light.
- Lockout function avoids accidental activation.
- USB Type-C charging with battery level indication and low-voltage warning.
- Single-handed operation with the new two-way SPORT Headband Fit System.
- Emergency whistle.

Polar night black | Iceberg white



Size: 2.26" × 1.22" × 1.85"/57.5 × 31 × 47 mm
Weight: 3.63 oz/103 g (including battery and headband)
Product ID: HL18R-T.11112
HL18R-T.20113

HL22R

Multicolor Outdoor Headlamp

800LM | 130M | 180H | IP66 | 2000mAh

NEW

- Spotlight, floodlight, and RGB light.
- Gesture-sensing function - the headlamp can be turned on or off with a wave of the hand.
- Dual switch ensures simple and fast operation.
- Lockout function avoids accidental activation.
- Inner waterproof USB Type-C charging port.
- High-quality aluminum alloy front case offers great durability and thermal performance.



Size: 2.60" x 1.85" x 1.48"/66 x 47 x 37.5 mm
Weight: 3.17 oz/90 g (including battery)
Product ID: HL22R.11111

HL32R-T

High-performance Trail Running Headlamp

800LM | 132M | 150H | IP66 | 1X1900mAh /3XAAA

- Quality magnesium alloy material, lightweight and durable.
- Frequency sensing: the brightness changes along with the speed.
- Separately controlled spotlight and floodlight.
- Single-handed operation with the new SPORT Headband Fit System.

Black | Rose red | Dark blue



Size: 2.60" × 1.77" × 1.18" / 66 × 45 × 30 mm
Weight: 3.77 oz / 107 g (including battery)
Product ID: HL32R-T.16111, HL32R-T.11111, HL32R-T.13111

HL45R

Multipurpose Focusable Induction Headlamp

1000LM | 220M | 54H | IP66 | 1X1900mAh /3XAAA

- Rotary switch and electronic switch combination for lockout function, mode switching, and output selection.
- Rotatable focusing ring for switching between spotlight and floodlight.
- Gesture-sensing function - the headlamp can be turned on or off with a wave of the hand.
- USB Type-C charging.
- Powered by a 1900mAh battery and compatible with three AAA batteries.



Size: 3.08" × 1.97" × 1.75"/78.2 × 50 × 44.5 mm
Weight: 4.69 oz/133 g (including battery and headband)
Product ID:HL45R.11111





HM SERIES



HM23 V2.0

Multipurpose Ultralight Headlamp

300LM | 88M | 100H | IP68 | 1XAA/1X2200mAh

- White and red light sources for a variety of lighting demands.
- Magnetic tail cap for hands-free use.
- Can be used as a flashlight.
- Large side switch for fast and convenient operation.



Size: 2.90" × 1.42" × 1.18"/73.6 × 36 × 30 mm
Weight: 3.04 oz/86.3 g (including battery and headband)
Product ID:HM23.11114

HM50R V2.0

High-performance Dual-purpose Headlamp

700LM | 138M | 58H | IP68 | 1X800mAh

HOT

- Detachable structure for various wearing ways.
- Max 700 lumens output for various kinds of outdoor lighting needs.
- White and red light sources for different applications.
- USB Type-C charging for convenient use.
- Cold-resistant ability.



Size: 2.52" × 1.42" × 1.26" / 64 × 36 × 32 mm
Weight: 2.75 oz / 78 g (including battery and headband)
Product ID: HM50R.11113



HM23 V2.0

HOT



HM50R V2.0

NEW



HM53R

NEW



HM55R

NEW



HM60R V2.0

NEW



HM61R V3.0



HM62-T

HOT



HM65R

HOT



HM65R-T V2.0

HOT



HM70R

HOT



HM71R



HM75R

NEW



HM76R



HM53R

Lightweight Multifunctional Headlamp

1200LM | 150M | 150H | IP68 | 1X1600mAh

- High-output cold white light and red light.
- Large side switch for simple and convenient operation.
- Inner waterproof USB Type-C charging port.
- Headlamp mount, included body clip, and magnetic tail for hands-free use.
- IP68-rated protection and 2-meter impact resistance.

NEW



Size: 2.79" x 1.44" x 1.42"/70.8 x 36.7 x 36 mm
Weight: 3.60 oz/102 g (including battery and headband)
Product ID: HM53R.11111

HM55R

Multi-LED Lightweight Outdoor Headlamp

1200LM | 175M | 147H | IP68 | 1X1600mAh

- Spotlight, floodlight and red light.
- Powered by a single ARB-L18-1600 replaceable battery.
- Large side switch for simple and convenient operation.
- Intelligent brightness downshift function avoids danger caused by high temperature.
- Inner waterproof USB Type-C charging port.

Black | Nebula | Dark purple

NEW



Size: 2.52" × 1.34" × 1.73"/64 × 34 × 44 mm
Weight: 3.70 oz/105 g (including battery and headband)
Product ID: HM55R.11111, HM55R.18113, HM55R.23112



HM60R V2.0

Outdoor High-performance Metal Headlamp

1600LM | 170M | 292H | IP68 | 1X4000mAh

- Spotlight, floodlight and red light.
- Top mode switch enables quick locking and mode switching.
- Large side switch for simple and convenient operation.
- Powered by a replaceable ARB-L18-4000 battery and compatible with two CR123A batteries.
- Hidden USB Type-C charging port with inner waterproof treatment.

NEW



Size: 3.46" × 1.80" × 1.77"/88 × 45.7 × 45 mm
Weight: 6.10 oz/173 g (including battery and headband)
Product ID: HM60R.11115

HM61R V3.0

Reliable Multifunction Headlamp

1800LM | 195M | 300H | IP68 | 1X4000mAh

- Spotlight, floodlight, and red light for a variety of lighting demands.
- Can be used as a flashlight.
- Magnetic tail-cap for hands-free use.
- Inner waterproof USB Type-C charging port.

NEW



Size: 4.15" × 1.50" × 1.77"/105.4 × 38 × 50.95 mm(including mount)
Weight: 5.91 oz/167.6 g (including battery and headband)
Product ID: HM61R.11122



I can chase bold goals and big adventures—day or night.



DANIEL JONES

Fenix Signed Athlete

Elite trail runner from New Zealand

1st place, HOKA Ultra-Trail Australia by UTMB 2025@UTA50
1st place, Tarawera Ultra-Trail by UTMB@2025 -T102
2nd place, HOKA Canyons Endurance Runs by UTMB 2024 - 50K
4th place, Western States Endurance Run 2024-Western States 100-Mile Endurance Run
4th place, HOKA UTMB Mont-Blanc 2024 - CCC

HM65R-T V2.0

1600LM | 170M | 300H | IP68 | 1X3400mAh

Lightweight Magnesium Trail Running Headlamp

Black | Nebula | Dark purple

ONE CHARGING FOR 100M RUNNING

As more and more running lovers participate in trail running races, the requirements for head-lamps are becoming more and more stringent.The Fenix HM65 series is highly praised by trail runners due to its high performance and long runtime. The slogan "One charging for 100km running " is therefore widely spread.



reddot award

AOGA ASIA OUTDOOR GEAR AWARDS



TWO-WAY SPORT HEADBAND FIT SYSTEM

Quality magnesium material, lightweight and durable.
Cold white and warm white light sources; max 1600 lumens output.
Single-handed operation with the new SPORT Headband Fit System.
Emergency whistle.
USB Type-C charging port.

Utility Model Patent:ZL 202321621763.9
Size: 3.15" x 1.84" x 1.37"/80 x 46.8 x 34.9 mm
Weight: 4.94 oz/140 g (including battery and headband)
Product ID: HM65R-T.11114, HM65R-T.23115, HM65R-T.18116

White Light			Warm White Light				SOS
High	Med	Low	High	Med	Low	Eco	
1600 lumens	400 lumens	130 lumens	800 lumens	400 lumens	130 lumens	5 lumens	5 lumens
3 hours	12 hours	24 hours	6 hours	12 hours	24 hours	300 hours	600 hours

HM62-T

Lightweight Trail Running Magnesium Headlamp

1200LM | 150M | 280H | IP68 | 1X3400mAh

- White and red light sources for different applications.
- Lightweight magnesium material.
- Single-handed operation with the new two-way SPORT Headband Fit System.
- Emergency whistle.
- Lockout function avoids accidental activation.



Black | Magma

Size: 3.22" × 1.19" × 1.02"/81.8 × 30.2 × 26 mm
Weight: 4.41 oz / 125g (including battery)
Product ID: HM62-T.11111
HM62-T.22111

HM65R

Dual Light Source Reliable Magnesium Headlamp

1000LM | 163M | 280H | IP68 | 1X18650 3400mAh /2XCR123A

HOT

- Max 1000 lumens output.
- Separately controlled spotlight and floodlight.
- Dustproof, waterproof and impact-resistance.
- Quality aluminum, magnesium and PC material, lightweight and durable.
- USB Type-C fast charging.
- Electronic lockout function avoids accidental activation.



Size: 3.17" × 2.17" × 1.57" / 80.5 × 55 × 40 mm
Weight: 3.42 oz / 97 g (excluding battery)
Product ID: HM65R.11112



HM70R

Triple Light Source Rechargeable 21700-powered Headlamp

1600LM | 186M | 100H | IP68 | 1X21700/1X18650



Included a 5000mAh battery with a 100 hours runtime.

Hidden USB Type-C charging port for convenient charging.

Large thumb-sized switch for easy and fast operation.

White, neutral white and red light sources for different applications.

Utility Model Patent: ZL 201720607070.2
Size: 3.72" x 2.01" x 1.81"/94.5 x 51 x 46 mm
Weight: 7.27 oz/206 g (including battery)
Product ID: HM70R.11111

General Mode				Functional Mode			
Turbo	High	Med	Low	Red	Med	High	SOS
1600 lumens	500 lumens	150 lumens	30 lumens	5 lumens	70 lumens	400 lumens	5 lumens
4 hours	6 hours	30 hours	100 hours	400 hours	48 hours	8 hours	800 hours

HM71R

High-performance Rechargeable Industrial Headlamp

2700LM | 230M | 400H | IP68 | 1X21700 5000mAh

- Max 2700 lumens output.
- Spotlight and floodlight combined.
- Max 400 hours runtime.
- Multiple wearing ways for different applications.

HOT



Size: 4.17" × 1.81" × 1.77" / 106 × 46 × 45 mm
Weight: 7.32 oz / 207.5 g (including battery and headband)
Product ID: HM71R.11111

HM75R

Magnesium Separation Style Industrial Headlamp

1600LM | 223M | 234H | IP68 | 1X21700 5000mAh 1X18630 3400mAh

- Made of high-quality magnesium alloy material.
- Rotary switch and electronic switch control the spotlight, floodlight, and red light.
- Included detachable 5000mAh power extender vastly extends runtime, and its USB Type-C port supports 18 W fast charging and discharging.
- Two lockable ends of the included charging cable prevent loose cable situations.
- USB Type-C ports with inner waterproofing treatment.



Size: 3.59" × 1.61" × 2.11" / 91.1 × 41 × 53.5 mm
Weight: 11.32 oz / 321 g
(including battery,battery case and headband)
Product ID: HM75R.11111

HM76R

High-performance Multi-LED Headlamp

3600LM | 300M | 300H | IP68 | 1X6000mAh

- Spotlight, floodlight, spot-and floodlight, and high-output red light.
- Fast and efficient operation with the rotary switch and the electronic switch.
- Quality magnesium alloy material, lightweight and durable.
- Inner waterproof USB Type-C port supports fast charging.
- Intelligent brightness downshift function avoids danger caused by high temperature.

NEW



Size: 3.86" x 1.93" x 2.05"/98 × 49 × 52 mm
Weight: 7.91 oz/224.3 g (including battery case, battery, and headband)
Product ID: HM76R.11111



HP SERIES

NEW



HP12R-T



HP16R



HP25R V2.0

HOT



HP30R V2.0

HOT



HP35R



HP35R SAR

HP12R-T

Separation Style Trail Running Headlamp

1300LM | 200M | 310H | IP66 | 1X18650

- Separation style design balances overall weight.
- Cold white light, neutral white light, and red light to meet various needs for complex terrain and adverse weather conditions such as rain, fog and snow.
- Dual top switch separately control white light and neutral white light.
- Battery case features constant and flashing red light outputs.

Red Black

NEW



Size: 2.40" x 1.46" x 1.10"/61 × 37 × 28 mm
Weight: 7.02 oz/199 g (including battery)
Product ID: HP12R-T.11111

HP16R

High-performance Rechargeable Outdoor Headlamp

1250LM | 255M | 300H | IP66 | 1X3000mAh /4XAA

- Max 1250 lumens output.
- Two power sources for free choice.
- USB Type-C charging port fast charging.
- Separately controlled dual switch; lockout function avoids accidental activation.
- Made of quality plastics and aluminum, integrated die-casting for better heat dissipation and safety performance.
- White, neutral white and red lights combined.



Size: 2.44" x 1.85" x 1.26" / 62 x 47 x 32 mm
Weight: 7.62 oz / 216 g (including battery and headband)
Product ID: HP16R.12111

HP25R V2.0

Rechargeable Work Headlamp With Ultra-long Runtime

1600LM | 290M | 400H | IP66 | 1X21700/ 1X18650

- Max 1600 lumens output.
- Spotlight, floodlight, and red light combined.
- High-reliability aluminum offers excellent heat dissipation.
- USB Type-C charging.
- Powered by a 21700 battery and compatible with a 18650 battery.
- Lockout function avoids accidental activation.



Size: 2.36" x 1.85" x 1.30" / 60 x 47 x 33 mm
Weight: 8.40 oz / 238 g (including battery and headband)
Product ID: HP25R.12113

HP30R V2.0

Ultrahigh-performance Separate Search&Rescue Headlamp

3000LM | 270M | 120H | IP66 | 2X21700

- Max 3000 lumens output.
- Twisty switch for easy and fast operation.
- A waist-worn battery case can be placed in pocket and pack.
- USB Type-C charging port fast charging.
- Power bank function.

HOT



Size: 3.62" × 2.20" × 1.73" / 92 × 56 × 44 mm
Weight: 15.41 oz / 437 g (including battery and headband)
Product ID: HP30R.11112

HP35R/HP35R SAR

Multiple Light Sources High-output Search&Rescue Headlamp

4000LM | 450M | 500H | IP66 | 2X21700

- Quick-release high-capacity battery case ensures ultra-long runtime.
- Battery case features a red light source for warning ; power bank function.
- Rotary switch and electronic switch for easy and fast operation.
- HP35R SAR features a flame-retardant, fire-resistant rubber headband and an innovative mount design, allowing the lamp to be mounted on various types of helmets.
- HP35R features a comfortable, breathable, and lightweight black nylon headband that is removable for easy washing.

HOT



Size: HP35R: 3.7" × 1.92" × 2.26"/94.1 × 48.7 × 57.4 mm
HP35R SAR: 3.91" × 2.10" × 2.15"/99.4 × 53.4 × 54.7 mm
Weight: HP35R: 15.27 oz/433 g (including batteries and headband)
HP35R SAR: 16.79 oz/476 g(including batteries and headband)
Product ID: HP35R.11111, HP35R.11112



WH SERIES



WH23R

Smart Induction Headlamp

600LM | 100M | 150H | IP66 | 2000mAh

- Max 600 lumens output and 100 meters beam distance.
- Spotlight, floodlight and combined output.
- Rotary switch for precise operation even with gloves.
- Gesture sensing for on/off.
- The center-rotating headlamp holder balances and improves the comfort of wearing.



Size: 3.40" × 1.77" × 1.72" / 86.45 × 45 × 43.72 mm
Weight: 4.06 oz / 115 g (including battery)
Product ID: WH23R.19111

WH35RE

Intrinsically Safe Headlamp

280LM | 21M | 280H | IP66 | 1XARB-L21-3000Ex

NEW

- Certified by IECEx and ATEX, and Chinese Explosion-Proof Certification.
- Can be safely used in explosive gas areas Zone 1 and Zone 2, and it can be used in combustible dust areas: Zone 21 and Zone 22 as well.
- USB Type-C charging port.
- Right-angled lighting; can be used a flashlight.
- Boot-up battery level indication and low-voltage warning.



Size: 4.41" x 1.77" x 1.79"/112 × 45 × 45.5 mm
Weight: 5.40 oz/153 g (including battery)
Product ID: WH35RE.11111, WH35RE.11112, WH35RE.11113, WH35RE.11114, WH35RE.11115

GL SERIES

TACTICAL LIGHTS

Fenix's newly developed professional tactical light series. Using advanced technology to create a compact high-performance tactical light suitable for full-size guns. It has super-strong white light and long-range beam, which is capable of fast and accurate aiming in low-light environments. It is suitable for all kinds of law enforcement, personal defense, competitive shooting, hunting, etc.



GL06/GL06-365

NEW



GL07



GL19R V2.0



GL22



GL23R

NEW



GL30R

GL23R

Green Laser Tactical Light

1200LM | 240M | 13H | IP66 | 1X18350



Precise green laser sight.

Tail switches can be replaced based on the user's preferences.

USB Type-C charging port.

Ambidextrous mechanical tail switches for instant activation.

Size: 3.43" x 1.18" x 1.69"/87 x 30 x 43 mm
Weight:4.23 oz/120 g (including battery)
Product ID: GL23R.11111 GL23R.11112

White Light	White Ligh + Green Laser	Green Laser
1200 lumens	1200 lumens + 520nm green laser ≤ 5mW	520nm green laser ≤ 5mW
1 hour	1 hour	13 hours

GL06 / GL06-365

600LM | 140M | 60MIN | IPX7 | 1X800mAh

Pocket Pistol Tactical Light

- GL06 is specifically designed for guns with both Glock universal rail and Picatinny rail.
- GL06-365 is specifically designed for guns with SIG-Sauer P365 rail, P365 XL rail or other rails.
  (SIG-Sauer P365 rail, P365X rail, P365-380 rail, P365XL rail, P365 SAS rail, and other types of rail with the same size)
- QD lever for quick install and quick detach.
- Instant strobe.
- Dual tail switch for fast, single-handed operation.





Size: 2.40" x 1.11" x 0.93" / 61 x 28.15 x 23.5 mm
Weight: GL06: 2.43 oz/69.1 g(including battery)
GL06-365: 2.45 oz/69.4 g(including battery)
Product ID: GL06.11111, GL06.11112

GL07

700LM | 240M | 5.5H | IPX7 | 1X800mAh / 1xCR123A

Compact High-output Light

NEW

- Uses a Luminus SFT12R LED with a lifespan of 50,000 hours.
- Powered by an included ARB-L16-800UP recharge-able battery and compatible with a CR123A battery.
- Quick-release structure for quick installation and removal.
- Modular quick-release sliding rail ensures the light can slide back and forth.
- Fitted with Fenix's patented ultra-thin optical lens.
- Fast activation of strobe.
- Two-handed operation with the dual tail switch.



Size: 2.61" x 1.11" x 1.24"/66.3 x 28.22 x 31.58 mm
Weight: 2.61 oz/74 g (including battery)
Product ID: GL07.11111



GL30R

800LM | 650M | 15H | IP66 | 1X18650

High-performance Long-range Tactical Light



In-Line M1913



Off-Set M1913



Off-Set M-LOK

Utilizes a Luminus SFT12R LED.

Powered by an included ARB-L18-4000 battery.

USB Type-C port supports charging and can be used as a remote pressure switch interface.

Included are a Picatinny clamp, an M-Lok clamp, and an AER-07 remote pressure switch.

Lockout function avoids accidental activation.

Ambidextrous tail switch.

Size: 5.76" x 1.42"/146.4 x 36 mm
Remote pressure switch: 2.66" x 1.16" x 0.88"/67.6 x 29.4 x 22.3 mm
Weight: 7.62 oz/216 g (excluding battery)

GL19R V2.0

High-intensity Rechargeable Tactical Light

1200LM | 420M | 55MIN | IP66 | 1X18350

- Ambidextrous mechanical rear switches for instant activation.
- Digitally regulated circuit for maintaining a stable output.
- Reverse polarity protection, to protect from improper battery insertion.
- Toughened ultra-clear glass lens with an anti-reflective coating.



Size: 3.70" x 1.22" x 1.25"/94 x 31 x 32 mm
Weight: 4.20 oz/119 g (including battery)
Product ID: GL19R.11112

GL22

Red Laser Tactical Light

750LM | 180M | 20H | IP66 | 1X800mAh /1XCR123A

- Max 750 lumens output and 180 meters beam distance.
- Precise red laser sight.
  *Laser parameters: CLASS 3R laser product, laser wavelength 640-660nm, laser optical power output <5mW.
- Design for guns with tactical rails.
- Two-handed operation with dual tactical tail switch.
- Instant strobe.



Size: 2.64" x 1.65" x 1.22" / 67 x 42 x 31 mm
Weight: 3.32 oz / 94 g (including battery)
Product ID: GL22.11111





BC SERIES

BICYCLE LIGHTS

With a **Fenix bicycle light**, you can expect the best and the brightest, with practical features, no matter where your bike takes you. From deserted night-time trails to urban environments, a Fenix bicycle light helps you see and be seen in the park so you remain safe on your cycling adventure. No matter where your cycling takes you, you can depend on a Fenix bike light to illuminate your way.


BC05R V2.0


BC06R


BC15R


BC22R


BC25R

HOT


BC26R

NEW


BC28R

HOT


BC30 V2.0

NEW


BC45R

BC05R V2.0

Ultra-compact Rechargeable Bicycle Taillight

15LM | 50M | 120H | IP66 | 400mAh

- Max 15 lumens output and 50 meters alerting distance.
- Battery level indication.
- USB Type-C charging.
- Matched with the body clip, can be used as a backpack light, or chest light.
- Single switch for easy and fast control.



Size: 2.01" x 0.87" x 0.87" / 51 x 22 x 22 mm
Weight: 0.99 oz / 28 g (including battery)
Product ID: BC05R.11113

BC06R

Smart Brake-sensing Bicycle Taillight

90LM | 100M | 24.5H | IP66 | 560mAh

- Smart brake sensing function.
- Max 90 lumens output and 100 meters alerting distance.
- Can be mounted on saddle rails or seatposts.
- Quick-release structure for fast assembly and disassembly.
- USB Type-C charging.





Saddle rail mount



Seatpost mount

Size: 1.50" x 1.50" x 1.50"/38 × 38 × 38 mm(excluding mount)
Weight: 1.57 oz/44.5 g(including battery)
Product ID: BC06R.11111

BC15R

Lightweight Cut-off Facula Line Bicycle Light

400LM | 78M | 31.5H | IP66 | 1X2600mAh

- Max 400 lumens output and 78 meters beam distance.
- USB Type-C charging.
- One switch control.
- Anti-glare cut-off facula line.
- Quick-release bike mount, easily operated.



Size: 4.02" x 1.24" x 1.22"/102 × 31.5 × 31 mm
Weight: 3.84 oz/109 g (including battery)
Product ID: BC15R.11111

BC45R

High-performance Mountain Bicycle Light

3300LM | 200M | 70H | IP66 | 2X4000mAh



Utilizes one SFT-40 Gen2 and four SST-12 cold white LEDs.
Spotlight and floodlight for long-distance illumination and large-area lighting.
Three wireless control switches for precise operation.
Instant turbo.
OLED display shows battery percentage, brightness level, and other information.
USB Type-C charging port.

Size: 4.88" x 2.05" x 1.46"/124 × 52 × 37 mm
Weight: 11.57 oz/327.9 g (excluding batteries)
Product ID: BC45R.11111

BC22R

High-performance Road Bicycle Light

1400LM | 156M | 41H | IP66 | 1X3400mAh

- Max 1400 lumens output and 156 meters beam distance.
- Supports both normal and inverse installations.
- Anti-glare cut-off facula line.
- Powered by a replaceable battery ; USB Type-C charging.
- Marine bionic design combined with aerodynamics.





Handlebar mount



Adapter mount

Size: 4.53" x 1.34" x 1.14"/115 × 34 × 29 mm
Weight: 5.54 oz/157 g (including battery)
Product ID: BC22R.11111

BC25R

Lightweight Cut-off Facula Line Bicycle Light

600LM | 106M | 36H | IP66 | 1X2600mAh

- Max 600 lumens output.
- Anti-glare cut-off facula line.
- Micro USB rechargeable.
- One switch control.
- Quick-release bike mount, easily operated.

Utility Model Patent: ZL 201720600803.X



Size: 4.45" x 1.26" x 1.22" / 113 x 32 x 31 mm
Weight: 5.47 oz / 155 g (including mount and battery)
Product ID: BC25R.11111

BC26R

Ultra Bright Rechargeable Mountain Bicycle Light

1600LM | 169M | 65H | IP68 | 1x5000mAh

- Max 1600 lumens output and 169 meters beam distance.
- USB Type-C charging.
- Quick-release design, two-step assembly and disassembly.
- Easy and fast operation with a single switch.
- Flash mode warns backside approaching drivers and passengers.
- Can be installed on the stopwatch holder with ALD-10.
- Can be used as a helmet light with the Fenix ALD-08 bicycle light helmet holder.

HOT



Size: 4.45" x 1.14" x 1.06" /113 x 29 x 27 mm
Weight: 5.47 oz / 155 g (including battery)
Product ID: BC26R.11111

BC28R

Smart Control Front Light & Taillight Combo

2500LM | 174M | 65H | IP66 | 1X21700 6000mAh

- Max 2500 lumens output and 174 meters beam distance.
- Taillight can be controlled via front light for efficient and convenient operation.
- Taillight brightness level is displayed on the front light for intuitive adjustment.
- 92° wide-angle beam ensures clear view ahead.
- Can be used with the ALD-08 and the ALD-10.

NEW





Size:
Front light: 4.25" x 1.06" x 1.06" /108 x 27 x 27 mm
Taillight: 1.18" x 1.18"/30 x 30 mm
Weight: 8.46 oz/240 g (excluding batteries)
Product ID: BC28R.11111

BC30 V2.0

High-performance Smart Wireless Control Bicycle Light

2200LM | 187M | 50H | IP67 | 2X18650 /4XCR123A

- Max 2200 lumens output.
- Smart wireless control switch.
- All-metal housing.
- Quick-release bicycle mount, easy to assemble and disassemble.
- Dual Distance Beam System.
- Smart wireless control switch.

HOT





Wireless switch

Size: 4.72" x 1.99" x 1.25" / 120 × 50.5 × 31.8 mm
Weight: 5.43 oz / 154 g (excluding battery)
Product ID: BC30.11112





CL SERIES

ENJOY CAMPING

Whether it is for hiking, camping or outdoor dining, **Fenix camping lanterns** will supply your bright light. Fenix lanterns are built to withstand the harsh conditions of outdoor use. Their versatile power sources, brilliant neutral white glow, and easy-to-use interface make them perfect for the most rugged campers on the planet. Fenix lanterns can last you longer due to their extreme durability.

NEW



CL20R V2.0

NEW



CL20R Pro

HOT



CL22R



CL26R Pro

HOT



CL27R

HOT



CL28R



CL30R

CL22R

Compact Multifunctional Atmosphere Lantern

500LM | 20M | 200H | IP65 | 1X2600mAh

HOT

ISPO Award 2024

- 500 lumens max combined output, 200 hours max runtime.
- Rotary switch and electronic switch combo for fast and convenient operation.
- 360° all-round lighting and down lighting.
- Included double snap hook allows for easy hanging and removing.
- Bottom colorful atmosphere lights create a romantic ambiance.
- Brand new appearance design inspired by classic Roman column.





Iceberg white | Polar night black | Wild green

Size: 1.50"x1.65"x4.53" / 38 x42 x115 mm
Weight: 4.76 oz / 135 g (including battery)
Product ID: CL22R.20112
CL22R.11113, CL22R.14111

CL26R Pro

Multifunctional Portable Camping Lantern

650LM | 15M | 408H | IP66 | 1X5000mAh

- Simple and precise operation with the rotary toggle switch and the electronic switch.
- Magnetic top for hands-free use.
- Multiple lighting combinations for various lighting needs of inside the tent and around the campsite.
- White and red light sources.
- Universal USB Type-C charging port for fast and convenient charging.
- USB Type-A discharging port for discharging.

Olive drab | White marble | Grey camo

Size: 2.60" × 2.34" × 4.49" / 66 × 59.5 × 114 mm
Weight: 7.02 oz / 199 g (excluding battery)
Product ID: CL26R.14112
CL26R.20112,CL26R.22112



CL27R

Spot-and-floodlight Multifunctional Outdoor Lantern

1600LM | 180M | 285H | IP66 | 1X5000mAh

HOT

- Spotlight and floodlight for long-range illumination and close-up lighting.
- Dual rotary switch allows free adjustment of the brightness and color temperature.
- 360° rotary handle and threaded tripod socket offer multiple mounting ways.
- White and red light sources.

Wild green | Glacier blue





Size: 4.32" × 1.56" × 3.61"/109.8 × 39.6 × 91.7 mm
Weight: 10.58 oz/300 g (including battery)
Product ID: CL27R.14111, CL27R.13112

CL28R

Multifunctional Outdoor Lantern

2000LM | 58M | 297H | IP66 | 2X5000mAh

HOT

- Dual rotary switches allow free adjustment of the brightness and color temperature.
- 360° rotary handle makes all-around lighting possible.
- USB Type-C charging port and USB-A discharging port.
- The lantern handle can be attached to magnetic metal surfaces.
- White and red light sources.



Design Patent: ZL 202130698237.2
Utility Model Patent: ZL 2021232781024

Size: 3.94" x 3.82" x 1.61"/100 x 97 x 41 mm
Weight: 13.26 oz/376 g (including batteries)
Product ID: CL28R.12111

CL30R

Charge And Discharge Camping Lantern

650LM | 35M | 300H | IPX-7 | 1~3X18650

- Max 650 lumens output, 35 meters beam diameter.
- Independent circuit design.
- Micro USB charging and discharging function.
- Built-in hanging loop and tripod socket interface.
- Can be floated on the water.



Size: 5.35" x 3.66" x 3.66" / 136 x 93 x 93 mm
Weight: 14.5 oz / 412 g (excluding battery)
Product ID: CL30R.11111

CL20R V2.0

CL20R Pro

Multicolor Ambient Camping Lantern

Black | Spring green

300LM | 12M | 320H | IP65 | 1900mAh

400LM | 15M | 320H | IP65 | 1900mAh



CL20R V2.0

Max 300 lumens output and 320 hours runtime.
Scene mode features multiple RGB lighting effects.
Corresponding outputs for the Switch light ring and the Scene mode are switchable.
Magnetic base and hanging loop for multiple mounting options.
Standard USB Type-C charging port.

Size: 3.15" x 1.89" x 2.13"/80 × 48 × 54 mm
Weight: 4.30 oz/122 g (including battery)
Product ID: CL20R.11111, CL20R.14111

CL20R Pro

Max 400 lumens output and 320 hours runtime.
Scene mode features multiple RGB lighting effects.
Corresponding outputs for the Switch light ring and the Scene mode are switchable.
Magnetic base and hanging loop for multiple mounting options.
Standard USB Type-C charging port.
Smart sensing function

Size: 3.15" x 1.89" x 2.13"/80 × 48 × 54 mm
Weight: 4.30 oz/122 g (including battery)
CL20R.11112, CL20R.14112



CP SERIES

CP50R

Multifunction Vehicle Camping Lantern

5500LM | 450M | 240H | IP66 | 2X6000mAh

- Max 5500 lumens output, 450 meters beam distance.
- Spotlight and floodlight for both up-close and long-distance lighting.
- Standard USB-C charging port features battery level indication and low-voltage warning.
- USB-A and USB-C ports allow for convenient discharging.
- Dual rotary switch allows free adjustment of the brightness and color temperature.
- 360° rotary handle makes all-around lighting possible.
- Magnetic handle and threaded tripod socket for multiple mounting ways.


NEW



Size: 6.51" x 5.96" x 2.09"/165.3 × 151.5 × 53.2 mm
Weight: 26.77 oz/759 g (including batteries)
Product ID: CP50R.12111

ACCESSORIES

Fenix has been striving and succeeding in developing creative and practical accessories to enhance and dramatically improve the performance of our lighting products. Currently, Fenix offers users accessories including diffuser tips, filter adapters, traffic wands, remote switches, etc. to satisfy consumers' requirements.



BATTERIES



Rechargeable Batteries

A protective circuit is built into the anode and covered with a riveted steel hat. The battery is fully covered with the steel shell, thus eliminating the potential risk of short-circuiting caused by collision or impact.

- Triple overheat design, safe and reliable.
- Built-in overcharge and overdischarge protection circuit to ensure battery life.
- The circuit board is fully protected, with high reliability and impact resistance.

Model	Type	Capacity	Voltage
ARB-L16-1050UP	16340+Type-C	1050mAh	3.6V
ARB-L14-1050	14500	1050 mAh	3.6V
ARB-L14-1600U	14500+Micro	1600 mAh	1.5V
ARB-L14-2200U	14500+Type-C	2200 mAh	1.5V
ARB-L16-1150P	16340	1150mAh	3.6V
ARB-L16-700UP	16340+Micro	700 mAh	3.6V
ARB-L16-800P	16340	800mAh	3.6V
ARB-L16-800UP	16340+Type-C	800 mAh	3.6V
ARB-L18-1100	18350	1100 mAh	3.6V
ARB-L18-1100P	18350	1100 mAh	3.6V
ARB-L18-2600	18650	2600 mAh	3.6V
ARB-L18-2600U	18650+Micro	2600 mAh	3.6V
ARB-L18-3000P	18650	3000 mAh	3.6V

Model	Type	Capacity	Voltage
ARB-L18-3400	18650	3400 mAh	3.6V
ARB-L18-3400U	18650+Micro	3400 mAh	3.6V
ARB-L18-3400U V2.0	18650+Type-C	3400 mAh	3.6V
ARB-L18-3400U V3.0	18650+Type-C	3400 mAh	3.6V
ARB-L18-4000	18650	4000 mAh	3.6V
ARB-L18-4000U	18650+Type-C	4000 mAh	3.6V
ARB-L18-3500	18650	3500 mAh	3.6V
ARB-L18-3500U	18650+Micro	3500 mAh	3.6V
ARB-L21-4000P	21700	4000 mAh	3.6V
ARB-L21-5000U	21700+Type-C	5000 mAh	3.6V
ARB-L21-5000 V2.0	21700	5000 mAh	3.6V
ARB-L21-6000	21700	6000 mAh	3.6V
ARB-L21-6000B	21700+ Type-C	6000 mAh	3.6V



ALF-18 Battery Holder

The Fenix 18650 Li-ion battery can be used as a 21700 Li-ion battery when combined with this battery holder.

- PC + ABS materials - reliable and durable.
- Copper-plated positive contact - excellent performance in conductivity.
- Size: 2.41" x 0.85"/61.2 x 21.5 mm.
- Weight: 0.22 oz/6.1 g.

CHARGERS



ARE-A2 Dual Channel Charger

The Fenix ARE-A2 is a dual-channel charger, which is compatible with different types of Li-ion and Ni-MH/Ni-Cd batteries. High-definition LCD screen displays charging status and battery level clearly. In addition, a car charging mode offers high convenience for users.

- LCD display screen for charging and battery level.
- Compatible with different types of Li-ion and Ni-MH/Ni-Cd batteries.
- AC and DC charging modes.
- Rated output power: 3W (Ni-MH/Ni-Cd), 8.4W (Li-ion).
- To charge the battery: 4.2V/1.0A (Li-ion), 1.5V/1.0A (Ni-MH/Ni-Cd).
- Built-in short-circuit protection, over-current protection, over-voltage protection and reverse polarity protection.



ARE-A4 Multifunctional Charger

The Fenix ARE-A4 is a four-channel smart charger, which is compatible with different types of Li-ion and Ni-MH/Ni-Cd batteries. High-definition LCD screen displays charging status and battery level clearly. In addition, a car charging mode offers high convenience for users.

- LCD display screen for charging and battery level.
- Compatible with different types of Li-ion and Ni-MH/Ni-Cd batteries.
- AC and DC charging modes.
- Rated output power: 6W (Ni-MH/Ni-Cd), 16.8W (Li-ion).
- To charge the battery: 4.2V/1.0A (Li-ion), 1.5V/1.0A (Ni-MH/Ni-Cd).
- Built-in short circuit protection, over-current protection, over-voltage protection and reverse polarity protection.



ARE-D1 Single Channel Multifunctional Charger

The Fenix ARE-D1 is a single channel smart charger that features charging and discharging functions. It is compatible with types of Li-ion and Ni-MH/Ni-Cd batteries. High definition LCD screen displays the charging, discharging, and battery status clearly.

- Micro USB charging, and USB discharging.
- LCD screen for battery level, charging, and discharging status.
- 0.5/1.0/2.0A - three charging current for option.
- Rated output power: 3W (Ni-MH/Ni-Cd), 8.4W(Li-ion).
- Short circuit protection, over-current protection, over-voltage protection, and reverse-polarity protection.



ARE-D2 Dual Channel Multifunctional Charger

The Fenix ARE-D2 is a dual channel smart charger that features charging and discharging functions. It is compatible with types of Li-ion and Ni-MH/Ni-Cd batteries. High definition LCD screen displays the charging, discharging, and battery status clearly.

- Micro USB charging, and USB discharging.
- LCD screen for battery level, charging, and discharging status.
- 0.5/1.0/2.0A - three charging current for option.
- Rated output power: 3W (Ni-MH/Ni-Cd), 8.4W (Li-ion).
- Short circuit protection, over-current protection, over-voltage protection and reverse-polarity protection.



ARE-X1 V2.0 Single Channel Smart Charger

The Fenix ARE-X1 V2.0 is a single channel smart charger that features USB Type-C charging and USB discharging function, designed for 18650, 21700 and 26650 batteries, and provides charging, discharging, and battery power detection.

- Compatible with one 18650, one 21700 or one 26650 rechargeable Li-ion battery.
- Supports USB Type-C charging and USB discharging.
- LED charging/discharging indicator; LED battery power detection.
- Short circuit, over-current, over-voltage and reverse polarity protection.
- Microcomputer chip controlled, digitally regulated charging to extend battery life.

DIFFUSER TIP/FILTER ADAPTER/TRAFFIC WAND



AOD-S V2.0/AOD-M Diffuser Tip

Diffuser tips can soften the light and work as a camping light, signal light, reading light, tent light, etc.

- Imported novel optical material guarantees quality.
- Durable, impact-resistant, and fireproof to V2 Standard.
- Easy operation.

NEW



AOD-04 Diffuser Tip

This AOD-04 diffuser tip can soften the light and work as a camping light and signal light,etc.

- Compatible Fenix light head: 40 mm.
- Soft silicone material, flexible, comfortable and easy to carry.
- Easy and firm assembly.
- Capable of tail standing.



AOF-S+V2.0/AOF-L Filter Adapter

This is a Fenix flashlight accessory with outstanding filtering ability to maintain strong red/blue/green light which can be used when signaling.

- Uses a toughened ultra-clear glass lens with an anti-reflective coating that provides heat resistance and maximum light penetrability.
- Germany's Bayer PC 2805 material, aging and impact resistant.
- Anti-roll design, easy to assemble and disassemble.

NEW



AOF-18 Multi-color Filter set

- Easily attaches to belts.
- R/G/B/Y filters included.
- Made of high-density nylon.
- Applicable products: Fenix HT18/HT18R/HT18R V2.0.
- Filter size: 2.68"/68 mm (diameter),
- Filter weight: 0.49 oz/13.87 g.
- Pouch size:7.09" x 4.33"/18 x 11 cm (folded); 11.02" x 7.09"/28 x 18 cm (unfolded)
- Pouch weight: 4.22 oz/119.7 g.



AOT-S+/AOT-M/AOT-01 Traffic Wand

Fenix traffic wand can convert your flashlight into a glowing red high-visibility wand. It' s the best option for emergency situations and traffic control.

- German Bayer PC 2805 material.
- High compressive strength, impact resistance.
- High-temperature resistance and benign thermal stability.
- Easy to assemble and disassemble.



AOT-03/AOT-04 Traffic Wand

Fenix traffic wand can convert your flashlight into a glowing high-visibility wand. With red and white two color options, this traffic wand is an ideal option for flashlight lighting and traffic control.

- High-quality soft silicone material, reliable and flexible.
- Included lanyard hole for easy carry.
- Open bottom design for realizing flashlight illumination and traffic control.
- Compatible with a wide range of flashlight of various sizes.

TACTICAL ACCESSORIES



AER-02 V2.0 Remote Pressure Switch

The Fenix AER-02 V2.0 remote pressure switch is specialized in tactical flashlights. The dual tail switches allow easy and fast operation of momentary-on or constant-on illumination (function may vary with flashlights).

- Tactical tail switch (round) for instant or constant activation.
- Noiseless (no click) pressure pad switch (30 mm long), which is more accurate in instant lighting, with a lifespan of 100,000 activations; capable of transmitting a current of 3A for a long period of time.
- User-friendly Velcro design for fast and convenient operation, included one hook and two loops.
- Cable is made from resilient PU material, with a length of 23 cm.
- Tail adapter is made from T6-grade aluminum, type III hard-anodized and an anti-abrasive finish.
- Tail adapter size: 25.4 mm Diameter x 31.5 mm Length.
- IP68-rated protection: 2 meters underwater.
- Applicable to Fenix 18650-powered flashlights with a single tail switch.



AER-03 V2.0 Remote Pressure Switch

The Fenix AER-03 V2.0 remote pressure switch is specialized in tactical flashlights. The dual tail switches allow easy and fast operation of momentary-on or constant-on illumination and output selection (function may vary with flashlights).

- Tactical tail switch (round) for instant or constant activation.
- Noiseless (no click) pressure pad switch (30 mm long), which is more accurate in instant lighting, with a lifespan of 100,000 activations; capable of transmitting a current of 3A for a long period of time.
- User-friendly Velcro design for fast and convenient operation, included one hook and two loops.
- Cable is made from resilient PU material, with a length of 23 cm.
- Tail adapter is made from T6-grade aluminum, type III hard-anodized and an anti-abrasive finish.
- Tail adapter size: 25.4 mm Diameter x 31.5 mm Length.
- IP68-rated protection: 2 meters underwater.
- Applicable to Fenix 18650-powered flashlights with dual tail switch.



AER-04 Remote Pressure Switch

The new Fenix AER-04 remote pressure switch is specialized in tactical flashlights using 21700 battery. Its tail adapter is made of A6061-T6 aluminum with type III hard-anodized and anti-abrasive finish. The dual tail switch panel includes a full-silent forward switch and a tape switch; allowing easy and fast operation of momentary-on or constant-on illumination. The innovative full-silent design with attached Velcro makes it very reliable and practical in your tactical missions or hunting.

- Tail adapter diameter: 1.14"/29 mm.
- Applicable thread: Tr25.5 x 0.06"/1.5 mm.
- Cable length: 9.06"/230 mm.
- Full length: 13.39"/340 mm.
- Weight: 1.48 oz/42 g.



AER-05 Remote Pressure Switch

The Fenix AER-05 remote pressure switch is specialized in tactical flashlights with APF circuits. The dual tail switch panel includes a silent pressure pad switch and a round tactical switch; allowing easy and fast operation of momentary-on or constant-on illumination. The innovative full-silent design with attached Velcro makes it very reliable and practical in your tactical missions or hunting.

- Tail adapter diameter: 1.14"/29 mm.
- Applicable thread: Tr25.5 x 0.06"/1.5 mm.
- Cable length: 9.06"/230 mm.
- Full length: 13.39"/340 mm.
- Weight: 1.48 oz/42 g.



ALG-00 Flashlight Ring

The Fenix ALG-00 features the quick detachable Picatinny rail design which suits tactical firearms with fish oil Picatinny rails. The compatible flashlight diameter ranges from 22.5 to 26 mm, and a wrench is needed when clipping flashlights. Full-metal housing made of durable aircraft-grade aluminum, and premium type III hard-anodized anti-abrasive finish in all-black treatment without light reflection.



ALG-05 Remote Pressure Switch Mount

The Fenix ALG-05 remote pressure switch mount is specially designed for Fenix AER series tactical remote pressure switches. It perfectly fits the Picatinny rail by a simple push; featuring convenient assembly and disassembly, the mounting position can be flexibly adjusted. Designed specifically for tactical lighting, the remote pressure switch is within easy reach, so the flashlight can be momentarily switched on with a press of the button. The whole body of the mount is made of aluminum alloy with hard-anodized finish, and it is not reflective in matte black, which meets the needs of tactical concealment.



ALG-06 Remote Pressure Switch Mount

The Fenix ALG-06 tactical remote pressure switch mount can adapt the AER-02 V2.0/03 V2.0/04/05 remote pressure switch to the M-LOK rail, which is lightweight, and reliable.

- Lock fixation ensures no displacement.
- All-metal housing.
- Size: 2.72" x 0.93" x 0.40"/69 x 23.7 x 10.2 mm.
- Weight: 0.87 oz/24.7 g.



ALG-15 Flashlight Ring

The Fenix ALG-15 Flashlight Ring can fit a flashlight with a head diameter of less than 40 mm and a body diameter of 22.5 - 26 mm on the Picatinny rail (MIL-STD-1913), making quick disassembly and assembly possible by means of a screw nut.

- Fits multiple flashlights with different body diameters.
- Quick-release mounting.
- Compact and lightweight.
- Durable and wear-resistant material.
- Size: 2.95" x 1.22" x 1.18" / 75 x 31 x 30 mm.
- Weight: 1.36 oz / 38.6 g.



ALG-16 Flashlight Ring

The Fenix ALG-16 Flashlight Ring can fit the flashlight with a head diameter of less than 40 mm and a body diameter of 22.5 - 26 mm on the M-LOK rail, making quick disassembly and assembly possible by hand.

- Fits multiple flashlights with different body diameters.
- Quick-release mounting.
- Compact and lightweight.
- Durable and wear-resistant material.
- Size: 2.04" x 1.66" x 1.19"/51.7 x 42.1 x 30.1 mm.
- Weight: 1.88 oz/53.3 g.

ALG-18 Flashlight Ring



The Fenix ALG-18 Flashlight Ring is a functional accessory that helps to perform tactical/hunting applications; which suits weapon barrels ranging from 18 - 23 mm. The compatible flashlight body diameter ranges from 23.5 - 28 mm with a light head diameter of less than 70 mm. Made of durable and high-strength aluminum, the easy operation effectively assists in tactical/hunting scenarios.

- Allows for quick assembly and disassembly of the gun barrels.
- Tool-free assembly and disassembly.
- Fits a variety of barrel dimensions.
- Size: 2.99" x 1.81" x 1.37"/76 x 46 x 35 mm
- Weight: 3.10 oz/88 g

NEW

ALC-03 Quick-pull Strap-lock Holster



The ALC-03 quick-pull strap-lock holster is specifically designed for the dual light source of the TK25R, which includes both the main light and side lights. Made from nylon and fiberglass, this holster offers reliability and durability. Its metal clip lock ensures a secure attachment even during high-intensity movements.

- Positioning ring locks securely every 15°, offering precise positioning throughout its 360° rotation.
- 20mm wide-mouth clip for secure attachment to belts, backpacks, or other gear.
- Made from nylon and fiberglass, rugged and reliable.
- Applicable products:E28R V2.0, LD30, LD30R, LD35R, LD36R, PD36 TAC, PD36R Pro, PD36R V2.0, TK16 V2.0, TK17, TK20R V2.0, TK20R UE, TK21R, TK22 TAC, TK22R, TK25R, TK30R, HT30R, WF26R
- Size: 1.69" × 1.89" × 3.78"/43 × 48 × 96 mm. Weight: 3.25 oz/92 g.

T6 Automatic Retracting Tactical Pen



The Fenix T6 is a multifunctional self-defense tactical pen that is capable of illuminating, window-breaking and writing. Its maximum brightness reaches 80 lumens, and it supports Type-C charging. This tough pen features a zirconium bead that can break glass and assist in escape from danger. Inside every pen is an imported Schmidt pen cartridge for smooth, effortless writing. As you can expect, this rugged, high-performance writing tool is tough enough to provide you with a tactical advantage in emergency situations.

- Removable Schmidt 6.8CM metal pen refill for self-defense.
- Automatic retracting ink tip for smooth writing.
- Made of A6061-T6 aluminum.
- Premium type HAIII hard-anodized anti-abrasive finish.

ALR-01 Tactical Flashlight Ring



The Fenix ALR-01 tactical flashlight ring is designed for the multiple series of Fenix tactical flashlights that feature a body clip. The ring is easy to disassemble and assemble. It is made of high-strength nylon. The lightweight design and great portability provide users with a convenient and flexible flashlight operating experience to meet various holding needs.

Applicable products:

- TK series: TK16 V2.0/TK20R V2.0/TK20R UE/TK22 TAC/TK30
- PD series: PD36R PRO/PD36 TAC
- HT series: HT18/HT30R

ALP-20 Open-top Leather Holster



The Fenix ALP-20 is a quick-pull leather case for duty flashlight. The whole is made of full-grain cowhide. The flashlight will not loosen after being inserted; it is a close-fitting concealed flashlight cover that is very suitable for casual clothes. Wear firmly, the flashlight will not shake even when running and under strenuous exercise. Body and thigh squeeze of the holster will not trigger the switch, and it is excellent to prevent accidental touch.

Applicable products:

- TK series: TK16 V2.0/TK20R V2.0/TK22R/TK30, etc.
- PD series: PD36R V2.0/PD40R V3.0, etc.

ALP-10S/10L Flashlight Holster



The Fenix ALP-10S/10L is a holster that is specifically designed for packing and protecting flashlights. The use of anti-tear nylon material features excellent abrasion resistance. Three layers of different materials are used, with one-time hot pressing, which is stylish and durable; the back webbing is designed with a combination of Velcro and nickel-plated metal button, ensuring strong stability and quick-release ability. The holster can be perfectly matched with the belt, backpack, and more. In this way, the flashlight is fully protected in a variety of scenarios such as law enforcement, outdoor lighting, searching and rescuing, etc.

- The use of anti-tear nylon material features excellent abrasion resistance.
- Strong stability and quick-release ability.
- Stylish and durable.

HEADBAND/FANNY PACK/STORAGE BAG

AFB-10 Sports Fanny Pack



The Fenix AFB-10 is a waterproof sports fanny pack with a large storage capacity. It features an adjustable waist strap and cross-shaped headphone hole, making running more enjoyable. In addition, a reflective logo ensures safer night running.

- Folded and tensile design, the storage capacity of the pack can be extended.
- The inside is a TPU waterproof layer, plus a waterproof zipper, all of which makes the pack resistant to water and sweat.
- Hidden hole for headphone usage.
- High-elastic adjustable belt for a closed and personal fit.
- Reflective Fenix logo.
- 4 colors for options: black, gray, blue, orange.

AFH-02/AFH-03 Sports Headband



- Made of elastic and air-permeable nylon.
- Sweat-channeling silicone lines.
- Safe reflective logo and lines.
- Hollow design - breathable and comfortable.

AFH-05 Widened Perforated Quick-adjust Headband



- Made of elastic and durable nylon.
- Single-handed operation with the new two-way SPORT Headband Fit System.
- 36 mm widened design - stable and reliable.
- Safe reflective logo and lines.
- Applicable headlamps: HL16, HL18R-T, HL32R-T, HM65R-T V2.0

AFH-10 Sports Headband



The Fenix AFH-10 is a high-elastic quick-drying sports headband, made of air-permeable nylon fabric. The sweat-channeling silicone lines, reflective logo and lines make night activities safer.

- 70% nylon, 30% spandex - high-elastic and air-permeable.
- Sweat-channeling silicone lines.
- Safe reflective logo and lines.
- 4 colors for options: black, gray, blue, orange.

APB-20/APB-30 Headlamp Storage Bag



- Made of high-strength nylon cloth - lightweight and wear-resistant properties.
- Increased and large storage space, inner mesh cloth bag - enough for headlamp and battery storage.
- 50mm long lanyard.
- High-strength zipper.
- Applicable headlamps: HL10, HL12R, HL15, HL16, HL18R, HL23, HL26R, HM61R, HM65R, etc.
- 1000 times cycle use; 1-year free repair, lifetime limited warranty.

MOUNT/HOOK/LANYARD/EMERGENCY WHISTLE

ALB-10 Quick-release Bicycle Mount



Utilizing a unique split-type design for quick release of flashlights, the Fenix ALB-10 bicycle mount can effectively reduce the amount of steps and the time needed for mounting. Featuring Fenix's solidity and compatibility with a wide range of flashlights, this mount will ensure your safety during your night riding.

- Split-type design for quick release.
- Fits flashlights with a diameter of 18 mm - 26 mm.
- Rotating 30-degree design adjusts to any locking angle.
- A high-quality rubber mat provides shock-resistant and slip-resistant grip without scratching the handlebar.
- Anti-aging, solid and able to withstand extended exposure to sunlight and rain.

ALB-20 Multipurpose Snap Hook



- Quick-release, stable wearing.
- Bottle opener.
- Straight screwdriver.
- Non-magnetizable.
- Size: 2.12" x 1.13" x 0.14"/53.8 x 28.6 x 3.5 mm.
- Weight: 0.32 oz/9 g.
- Material: Titanium alloy TC4.

ALD-02 Helmet Attachment Hook Set



- Made of environmentally friendly PC material.
- Keep the headband firm on the helmet.
- Suitable for helmets of thickness less than 6 mm.
- Not for fully protective outdoor sports headlamps and headlamps with foam lining.

ALD-05 Flashlight Helmet Holder



- Anti-static rubber fixing strap, compatible with all types of helmets.
- Adjustable clamping caliber - suitable for flashlights with an outer body diameter of 20 - 28 mm.
- 360° adjustable angle.

ALD-08 Bicycle Light Helmet Holder



Applicable to all Fenix BC series products excluding Fenix BC21R, BT30R, BTR20 and BT20.

- The fitted cable ties are applicable to a variety of bicycle helmets.
- Push and pull for one-second assembly and disassembly.
- Nylon and fiberglass - high toughness, strength and durability.
- Weight: 0.39 oz/11 g.
- Size: 2.87" x 2.20" x 0.55"/73 x 56 x 14 mm.

ALD-10 Bicycle Light Holder with GoPro Interface



The holder is lightweight, and the bicycle light can be easily fixed with a single push. It is applicable to all Fenix bicycle lights.

- International GoPro interface.
- Easy assembly.
- Compact and lightweight.

ALG-03 V2.0 Headlamp Attachment



ALG-03 V2.0 headlamp attachment is specifically designed for headlamp fixation to outdoor or industrial work helmets. It enables fast and convenient attachment and detachment of headlamps to and from the helmet and allows adjustment of the lighting angle of the headlamps.

- Made of quality nylon - durable and eco-friendly.
- Included TESA adhesive tapes.

ALG-04 V2.0 Headlamp Clip



The Fenix ALG-04 V2.0 helmet clip is specifically designed for headlamp fixation to professional helmets with shroud. It enables easy and convenient attachment and detachment of the headlamp to and from the helmet with the slots design.

- Applicable products: Fenix HM60R V2.0, HM61R V3.0, HM65R, HM65R-T V2.0, HM65R V2.0, HM70R, HM71R, HM75R, HM76R, HP35R(Regular version).
- Simple operation with the dual slide bar.

ALL-01 Soft Flashlight Lanyard



ALL-01 is a flashlight lanyard made of nylon and silicone sleeves. The length of the nylon cord and the silicone sleeves can be adjusted as needed. This flashlight lanyard is very comfortable to the hands and features non-slip as well.

- Applicable products: SD11, SD20, TK47UE, TK47, TK72R, TK75, RC40.
- Size: 0.35" Tube diameter x 9.25" Length (9 x 235 mm).
- Weight: 0.42 oz/12 g.